

# Aromadendrene oxide-(1)

<b>Inchi:</b>	InChI=1S/C15H24O/c1-9-4-5-10-12(9)13-11(14(13,2)3)6-7-15(10)8-16-15/h9-13H,4-8H2
<b>InchiKey:</b>	XPGWKKLDFXNBPJ-UHFFFAOYSA-N
<b>Formula:</b>	C15H24O
<b>SMILES:</b>	CC1CCC2C1C1C(CCC23CO3)C1(C)C
<b>Mol. weight [g/mol]:</b>	220.35

## Physical Properties

Property code	Value	Unit	Source
gf	186.09	kJ/mol	Joback Method
hf	-230.43	kJ/mol	Joback Method
hfus	23.64	kJ/mol	Joback Method
hvap	50.09	kJ/mol	Joback Method
log10ws	-3.43		Crippen Method
logp	3.484		Crippen Method
mvol	184.640	ml/mol	McGowan Method
pc	2202.08	kPa	Joback Method
rinpol	1672.00		NIST Webbook
rinpol	1672.00		NIST Webbook
tb	587.25	K	Joback Method
tc	815.53	K	Joback Method
tf	388.70	K	Joback Method
vc	0.710	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	544.52	J/mol×K	587.25	Joback Method
cpg	568.21	J/mol×K	625.30	Joback Method
cpg	590.27	J/mol×K	663.34	Joback Method
cpg	611.03	J/mol×K	701.39	Joback Method
cpg	630.84	J/mol×K	739.44	Joback Method
cpg	650.04	J/mol×K	777.48	Joback Method
cpg	668.97	J/mol×K	815.53	Joback Method

# Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U151984&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U151984&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

# Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>h vap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>r in pol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/70-306-4/Aromadendrene-oxide-1.pdf>

Generated by Cheméo on 2024-04-20 14:52:14.70172735 +0000 UTC m=+15913983.622304662.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.