

Furan, tetrahydro-2-methyl-

Other names:	.alpha.-methyltetramethylene oxide 2-Methylfuranidine 2-Methyloxolane 2-Methyltetrahydrofuran 2-Methyltetrahydrofurane Furan, 2-methyl-tetrahydro- Methyltetrahydrofuran Tetrahydro-2-methylfuran Tetrahydrofuran, 2-methyl- Tetrahydrosylvan
Inchi:	InChI=1S/C5H10O/c1-5-3-2-4-6-5/h5H,2-4H2,1H3
InchiKey:	JWUJQDFVADABEY-UHFFFAOYSA-N
Formula:	C5H10O
SMILES:	CC1CCCO1
Mol. weight [g/mol]:	86.13
CAS:	96-47-9

Physical Properties

Property code	Value	Unit	Source
affp	840.80	kJ/mol	NIST Webbook
basg	811.60	kJ/mol	NIST Webbook
gf	-58.35	kJ/mol	Joback Method
hf	-218.05	kJ/mol	Joback Method
hfus	10.62	kJ/mol	Joback Method
hvap	33.70	kJ/mol	NIST Webbook
hvap	34.00	kJ/mol	NIST Webbook
ie	9.22 ± 0.05	eV	NIST Webbook
log10ws	0.11		Estimated Solubility Method
log10ws	0.11		Aqueous Solubility Prediction Method
logp	1.185		Crippen Method
mcvol	76.320	ml/mol	McGowan Method
pc	3757.63 ± 68.94	kPa	NIST Webbook
rinpol	664.00		NIST Webbook
rinpol	678.00		NIST Webbook
rinpol	661.00		NIST Webbook

rinpol	663.00		NIST Webbook
rinpol	674.00		NIST Webbook
rinpol	682.00		NIST Webbook
rinpol	663.00		NIST Webbook
rinpol	669.00		NIST Webbook
rinpol	664.00		NIST Webbook
ripol	925.00		NIST Webbook
ripol	925.00		NIST Webbook
ripol	951.00		NIST Webbook
ripol	876.00		NIST Webbook
ripol	876.00		NIST Webbook
ripol	935.00		NIST Webbook
tb	359.65 ± 1.00	K	NIST Webbook
tb	338.15 ± 2.00	K	NIST Webbook
tb	353.20	K	NIST Webbook
tb	352.65 ± 2.00	K	NIST Webbook
tb	353.10 ± 0.30	K	NIST Webbook
tb	353.15 ± 1.00	K	NIST Webbook
tc	537.00 ± 2.00	K	NIST Webbook
tf	137.05 ± 0.40	K	NIST Webbook
vc	0.267 ± 0.005	m3/kmol	NIST Webbook

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	194.00	J/molxK	553.34	Joback Method
cpg	174.57	J/molxK	487.57	Joback Method
cpg	164.07	J/molxK	454.69	Joback Method
cpg	153.02	J/molxK	421.80	Joback Method
cpg	141.40	J/molxK	388.92	Joback Method
cpg	129.20	J/molxK	356.03	Joback Method
cpg	184.54	J/molxK	520.46	Joback Method
cpl	162.10	J/molxK	313.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Poly(ethylene glycols) + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K

cpl	153.50	J/molxK	288.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	155.30	J/molxK	293.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Poly(ethylene glycols) + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	166.20	J/molxK	323.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	155.30	J/molxK	293.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K

cpl	156.90	J/molxK	298.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	158.70	J/molxK	303.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	160.20	J/molxK	308.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	158.60	J/molxK	303.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Poly(ethylene glycols) + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K

cpl	164.20	J/molxK	318.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
cpl	162.10	J/molxK	313.15	Molar Heat Capacities, Densities, Viscosities, and Refractive Indices of Dimethyl Sulfoxide + Tetrahydropyran and + 2-Methyltetrahydrofuran at (293.15, 303.15, and 313.15) K
dvisc	0.0005618	Paxs	283.15	Excess Enthalpy, Density, Speed of Sound, and Viscosity for 2-Methyltetrahydrofuran + 1-Butanol at (283.15, 298.15, and, 313.15) K
dvisc	0.0004776	Paxs	298.15	Excess Enthalpy, Density, Speed of Sound, and Viscosity for 2-Methyltetrahydrofuran + 1-Butanol at (283.15, 298.15, and, 313.15) K
dvisc	0.0004088	Paxs	313.15	Excess Enthalpy, Density, Speed of Sound, and Viscosity for 2-Methyltetrahydrofuran + 1-Butanol at (283.15, 298.15, and, 313.15) K
kvisc	0.0000006	m2/s	298.15	Viscosities of Binary Mixtures of Isomeric Butanols or Isomeric Chlorobutanes with 2-Methyltetrahydrofuran

kvisc	0.0000005	m2/s	313.15	Viscosities of Binary Mixtures of Isomeric Butanols or Isomeric Chlorobutanes with 2-Methyltetrahydrofuran
pvap	4.93	kPa	279.01	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	5.63	kPa	281.44	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	6.57	kPa	284.34	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	7.83	kPa	287.83	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols

pvap	7.85	kPa	287.84	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	9.26	kPa	291.17	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	11.65	kPa	295.94	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	13.37	kPa	298.94	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	15.76	kPa	302.62	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols

pvap	18.28	kPa	306.05	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	4.93	kPa	279.00	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	21.69	kPa	310.11	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
pvap	5.60	kPa	281.41	Vapor Pressure and Its Temperature Dependence of 28 Organic Compounds: Cyclic Amines, Cyclic Ethers, and Cyclic and Open Chain Secondary Alcohols
rfi	1.40287		298.15	Thermophysical properties of the binary mixtures of 2-methyl-tetrahydrofuran with benzene and halobenzenes

rfi	1.40299		298.00	Quaternary and ternary LLE measurements for solvent (2-methyltetrahydrofuran and cyclopentyl methyl ether) + furfural + acetic acid + water between 298 and 343 K
rfi	1.40280		298.15	Ternary and binary LLE measurements for solvent (2-methyltetrahydrofuran and cyclopentyl methyl ether) + furfural + water between 298 and 343 K
rhoI	848.10	kg/m3	298.15	Excess molar enthalpies of the ternary mixtures: (tetrahydrofuran or 2-methyltetrahydrofuran + methyl tert-butyl ether + n-octane) at the temperature 298.15 K
rhoI	848.10	kg/m3	298.15	Excess molar enthalpies of the ternary mixtures (1-hexene + tetrahydrofuran or 2-methyltetrahydrofuran + methyl tert-butyl ether) at the temperature 298.15K.
rhoI	848.10	kg/m3	298.15	Excess molar enthalpies of the ternary mixtures: {tetrahydrofuran or 2-methyltetrahydrofuran + methyl tert-butyl ether + n-dodecane} at the temperature 298.15 K

rhoI	851.60	kg/m3	295.00	High-pressure vapor-liquid equilibria of the second generation biofuel blends (2-methylfuran + iso-octane) and (2-methyltetrahydrofuran + di-n-butyl ether): Experiments and PCP-SAFT modeling
rhoI	849.40	kg/m3	298.15	Study of the Surface Tension of Chlorocyclohexane or Bromocyclohexane with Some Cyclic Ethers
rhoI	855.00	kg/m3	293.15	Isothermal Vapor-Liquid Equilibrium Data for the Binary Systems Consisting of 1,1,2,3,3,3-Hexafluoro-1-propene and Either Methylcyclohexane, Cyclohexane, n-Hexane, 2-Methyltetrahydrofuran, or 2,2,3,3,4,4,4-Heptafluoro-1-butanol
rhoI	849.20	kg/m3	298.15	Thermodynamic study of 2-methyl-tetrahydrofuran with isomeric chlorobutanes

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.47976e+01
Coeff. B	-3.18218e+03
Coeff. C	-3.93870e+01
Temperature range (K), min.	258.70
Temperature range (K), max.	374.84

ie:	Ionization energy
kvisc:	Kinematic viscosity
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rho:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/70-540-4/Furan-tetrahydro-2-methyl.pdf>

Generated by Cheméo on 2024-05-05 20:16:27.604975008 +0000 UTC m=+17229436.525552330.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.