

Dibenz[e,k]acephenanthrylene

Inchi:

SCQIPRLBRNOUOX-UHFFFAOYSA-N

InchiKey:

SCQIPRLBRNOUOX-UHFFFAOYSA-N

Formula:

C24H14

SMILES:

c1ccc2c(c1)-c1cccc3c1c-2cc1cc2ccccc2cc13

Mol. weight [g/mol]:

302.37

CAS:

206-06-4

Physical Properties

Property code	Value	Unit	Source
gf	752.58	kJ/mol	Joback Method
hf	561.85	kJ/mol	Joback Method
hfus	38.47	kJ/mol	Joback Method
hvap	81.51	kJ/mol	Joback Method
log10ws	-10.34		Crippen Method
logp	6.794		Crippen Method
mcvol	232.260	ml/mol	McGowan Method
pc	2241.88	kPa	Joback Method
tb	882.32	K	Joback Method
tc	1151.38	K	Joback Method
tf	606.52	K	Joback Method
vc	0.911	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	661.66	J/mol×K	882.32	Joback Method
cpg	739.36	J/mol×K	1106.54	Joback Method
cpg	722.35	J/mol×K	1061.69	Joback Method
cpg	706.42	J/mol×K	1016.85	Joback Method
cpg	691.24	J/mol×K	972.01	Joback Method
cpg	676.44	J/mol×K	927.16	Joback Method
cpg	757.84	J/mol×K	1151.38	Joback Method
dvisc	0.0039222	Pa×s	882.32	Joback Method
dvisc	0.0040664	Pa×s	836.35	Joback Method

dvisc	0.0042338	Pa×s	790.39	Joback Method
dvisc	0.0044300	Pa×s	744.42	Joback Method
dvisc	0.0046630	Pa×s	698.45	Joback Method
dvisc	0.0049439	Pa×s	652.49	Joback Method
dvisc	0.0052883	Pa×s	606.52	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C206064&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/71-541-2/Dibenz-e-k-acephenanthrylene.pdf>

Generated by Cheméo on 2025-12-05 20:08:07.015865484 +0000 UTC m=+4713484.545906139.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.