

cis-Cinnamaldehyde

Other names:	(Z)-cinnamaldehyde (Z)-Cinnamylaldehyde cis-Cinnamic aldehyde
Inchi:	InChI=1S/C9H8O/c10-8-4-7-9-5-2-1-3-6-9/h1-8H/b7-4-
InchiKey:	KJPRLNWUNMBNBZ-DAXSKMNVSA-N
Formula:	C9H8O
SMILES:	O=CC=Cc1ccccc1
Mol. weight [g/mol]:	132.16
CAS:	57194-69-1

Physical Properties

Property code	Value	Unit	Source
gf	118.01	kJ/mol	Joback Method
hf	39.08	kJ/mol	Joback Method
hfus	15.60	kJ/mol	Joback Method
hvap	44.58	kJ/mol	Joback Method
log10ws	-1.99		Crippen Method
logp	1.899		Crippen Method
mcvol	111.180	ml/mol	McGowan Method
pc	3786.98	kPa	Joback Method
rinpol	1222.70		NIST Webbook
rinpol	1219.00		NIST Webbook
rinpol	1179.00		NIST Webbook
rinpol	1198.00		NIST Webbook
rinpol	1161.00		NIST Webbook
rinpol	1179.00		NIST Webbook
rinpol	1215.00		NIST Webbook
rinpol	1222.70		NIST Webbook
rinpol	1219.00		NIST Webbook
rinpol	1219.00		NIST Webbook
rinpol	1200.00		NIST Webbook
rinpol	1177.00		NIST Webbook
rinpol	1219.00		NIST Webbook
rinpol	1184.00		NIST Webbook
rinpol	1219.00		NIST Webbook
rinpol	1169.00		NIST Webbook
ripol	1870.00		NIST Webbook

ripol	1884.00		NIST Webbook
ripol	1888.00		NIST Webbook
ripol	1884.00		NIST Webbook
tb	484.82	K	Joback Method
tc	708.10	K	Joback Method
tf	254.53	K	Joback Method
vc	0.428	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	217.59	J/molxK	484.82	Joback Method
cpg	229.63	J/molxK	522.03	Joback Method
cpg	240.80	J/molxK	559.25	Joback Method
cpg	251.16	J/molxK	596.46	Joback Method
cpg	260.75	J/molxK	633.68	Joback Method
cpg	269.63	J/molxK	670.89	Joback Method
cpg	277.85	J/molxK	708.10	Joback Method
dvisc	0.0031225	Paxs	254.53	Joback Method
dvisc	0.0015502	Paxs	292.91	Joback Method
dvisc	0.0009052	Paxs	331.29	Joback Method
dvisc	0.0005911	Paxs	369.68	Joback Method
dvisc	0.0004181	Paxs	408.06	Joback Method
dvisc	0.0003140	Paxs	446.44	Joback Method
dvisc	0.0002467	Paxs	484.82	Joback Method

Sources

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C57194691&Units=SI>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpola:	Non-polar retention indices
ripola:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/71-595-3/cis-Cinnamaldehyde.pdf>

Generated by Cheméo on 2024-04-16 21:14:40.994689964 +0000 UTC m=+15591329.915267275.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.