

# (6Z,8E)-6,8,10-Undecatrien-4-ol

Inchi:	InChI=1S/C11H20O/c1-3-5-6-7-8-10-11(12)9-4-2/h5-8,11-12H,3-4,9-10H2,1-2H3/b6-5+,8
InchiKey:	YCCKWAOPWDRFS-MDAAKZFYSA-N
Formula:	C11H20O
SMILES:	CCC=CC=CCC(O)CCC
Mol. weight [g/mol]:	168.28

## Physical Properties

Property code	Value	Unit	Source
gf	62.92	kJ/mol	Joback Method
hf	-193.44	kJ/mol	Joback Method
hfus	25.21	kJ/mol	Joback Method
hvap	56.29	kJ/mol	Joback Method
log10ws	-3.51		Crippen Method
logp	3.060		Crippen Method
mcvol	163.120	ml/mol	McGowan Method
pc	2333.78	kPa	Joback Method
ripol	1986.00		NIST Webbook
tb	551.14	K	Joback Method
tc	724.40	K	Joback Method
tf	249.39	K	Joback Method
vc	0.625	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	392.04	J/molxK	551.14	Joback Method
cpg	405.50	J/molxK	580.02	Joback Method
cpg	418.31	J/molxK	608.89	Joback Method
cpg	430.51	J/molxK	637.77	Joback Method
cpg	442.13	J/molxK	666.64	Joback Method
cpg	453.20	J/molxK	695.52	Joback Method
cpg	463.76	J/molxK	724.40	Joback Method
dvisc	0.0553482	Paxs	249.39	Joback Method
dvisc	0.0070793	Paxs	299.68	Joback Method

dvisc	0.0016352	Paxs	349.97	Joback Method
dvisc	0.0005458	Paxs	400.26	Joback Method
dvisc	0.0002328	Paxs	450.56	Joback Method
dvisc	0.0001178	Paxs	500.85	Joback Method
dvisc	0.0000675	Paxs	551.14	Joback Method

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R590995&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R590995&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>ripol:</b>	Polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/74-396-1/6Z-8E-6-8-10-Undecatrien-4-ol.pdf>

Generated by Cheméo on 2024-04-29 03:38:40.25598068 +0000 UTC m=+16651169.176558004.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.