

p-tert.-Butylcatechol

Other names:	1,2-Benzenediol, 4-(1,1-dimethylethyl)- 1,2-Dihydroxy-4-tert-butylbenzene 4-TBC 4-t-Butyl-1,2-benzenediol 4-t-Butylcatechol 4-t-Butylpyrocatechol 4-tert-Butyl-1,2-benzenediol 4-tert-Butyl-1,2-dihydroxybenzene 4-tert-Butylcatechin 4-tert-Butylcatechol 4-tert-Butylpyrocatechol 4-tert-Butylpyrokatechin NSC 5310 Pyrocatechol, 4-tert-butyl- Synox TBC p-t-Butyl catechol p-t-Butylpyrocatechol p-tert-Butylcatechol p-tert-Butylpyrocatechol
Inchi:	InChI=1S/C10H14O2/c1-10(2,3)7-4-5-8(11)9(12)6-7/h4-6,11-12H,1-3H3
InchiKey:	XESZUVZBAMCAEJ-UHFFFAOYSA-N
Formula:	C10H14O2
SMILES:	CC(C)(C)c1ccc(O)c(O)c1
Mol. weight [g/mol]:	166.22
CAS:	98-29-3

Physical Properties

Property code	Value	Unit	Source
chs	-5461.90 ± 0.90	kJ/mol	NIST Webbook
gf	-160.67	kJ/mol	Joback Method
hf	-374.70 ± 2.10	kJ/mol	NIST Webbook
hfs	-474.00 ± 1.60	kJ/mol	NIST Webbook
hfus	19.85	kJ/mol	Joback Method
hsub	99.30 ± 1.40	kJ/mol	NIST Webbook
hsub	99.30	kJ/mol	NIST Webbook
hsub	99.30 ± 1.40	kJ/mol	NIST Webbook
hsub	99.20 ± 0.90	kJ/mol	NIST Webbook

hvap	96.50 ± 2.80	kJ/mol	NIST Webbook
log10ws	-1.88		Crippen Method
logp	2.395		Crippen Method
mcvol	139.740	ml/mol	McGowan Method
pc	3700.00 ± 300.00	kPa	NIST Webbook
rhoc	297.53 ± 14.96	kg/m ³	NIST Webbook
rinpol	1493.00		NIST Webbook
tb	558.20	K	NIST Webbook
tc	775.00 ± 6.00	K	NIST Webbook
tf	454.74	K	Joback Method
tt	327.00 ± 2.00	K	NIST Webbook
vc	0.408	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	364.71	J/mol×K	612.89	Joback Method
cpg	377.38	J/mol×K	653.47	Joback Method
cpg	389.01	J/mol×K	694.05	Joback Method
cpg	399.81	J/mol×K	734.63	Joback Method
cpg	409.96	J/mol×K	775.21	Joback Method
cpg	419.64	J/mol×K	815.79	Joback Method
cpg	429.06	J/mol×K	856.37	Joback Method
dvisc	0.0000897	Paxs	481.10	Joback Method
dvisc	0.0001976	Paxs	454.74	Joback Method
dvisc	0.0000442	Paxs	507.46	Joback Method
dvisc	0.0000234	Paxs	533.82	Joback Method
dvisc	0.0000131	Paxs	560.17	Joback Method
dvisc	0.0000078	Paxs	586.53	Joback Method
dvisc	0.0000048	Paxs	612.89	Joback Method
hfust	15.10	kJ/mol	330.40	NIST Webbook
hsubt	98.70 ± 0.90	kJ/mol	313.00	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$

Coeff. A	1.58862e+01
Coeff. B	-5.21116e+03
Coeff. C	-9.57200e+01
Temperature range (K), min.	429.80
Temperature range (K), max.	588.51

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C98293&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rhoc:	Critical density
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point

tt: Triple Point Temperature

vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/75-915-3/p-tert-Butylcatechol.pdf>

Generated by Cheméo on 2024-04-19 19:39:46.683231659 +0000 UTC m=+15844835.603808976.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.