

2,3-Dimethylstyrene

Other names:	1,2-Dimethyl-3-Vinylbenzene
Inchi:	InChI=1S/C10H12/c1-4-10-7-5-6-8(2)9(10)3/h4-7H,1H2,2-3H3
InchiKey:	HLOUDBQOEJSUPI-UHFFFAOYSA-N
Formula:	C10H12
SMILES:	C=Cc1cccc(C)c1C
Mol. weight [g/mol]:	132.20
CAS:	40243-75-2

Physical Properties

Property code	Value	Unit	Source
gf	214.31	kJ/mol	Joback Method
hf	89.29	kJ/mol	Joback Method
hfus	13.64	kJ/mol	Joback Method
hvap	40.78	kJ/mol	Joback Method
log10ws	-3.25		Crippen Method
logp	2.946		Crippen Method
mcvol	123.700	ml/mol	McGowan Method
pc	2969.80	kPa	Joback Method
rinpol	1100.00		NIST Webbook
rinpol	1100.30		NIST Webbook
rinpol	1097.10		NIST Webbook
ripol	1485.00		NIST Webbook
ripol	1485.10		NIST Webbook
ripol	1485.10		NIST Webbook
tb	461.52	K	Joback Method
tc	673.43	K	Joback Method
tf	252.16	K	Joback Method
vc	0.469	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	241.30	J/mol×K	461.52	Joback Method
cpg	254.85	J/mol×K	496.84	Joback Method

cpg	267.67	J/mol×K	532.16	Joback Method
cpg	279.80	J/mol×K	567.47	Joback Method
cpg	291.26	J/mol×K	602.79	Joback Method
cpg	302.08	J/mol×K	638.11	Joback Method
cpg	312.28	J/mol×K	673.43	Joback Method
dvisc	0.0015433	Pa×s	252.16	Joback Method
dvisc	0.0009004	Pa×s	287.05	Joback Method
dvisc	0.0005904	Pa×s	321.95	Joback Method
dvisc	0.0004204	Pa×s	356.84	Joback Method
dvisc	0.0003181	Pa×s	391.73	Joback Method
dvisc	0.0002519	Pa×s	426.63	Joback Method
dvisc	0.0002066	Pa×s	461.52	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.45622e+01
Coeff. B	-3.89523e+03
Coeff. C	-7.05780e+01
Temperature range (K), min.	343.46
Temperature range (K), max.	491.65

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R11321&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg: Ideal gas heat capacity

dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/76-221-2/2-3-Dimethylstyrene.pdf>

Generated by Cheméo on 2025-12-05 10:53:26.272104421 +0000 UTC m=+4680203.802145086.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.