

PENTYLIDENECYCLOHEXANE

Inchi:	InChI=1S/C11H20/c1-2-3-5-8-11-9-6-4-7-10-11/h8H,2-7,9-10H2,1H3
InchiKey:	DOVNMMSNHCGVGX-UHFFFAOYSA-N
Formula:	C11H20
SMILES:	CCCCC=C1CCCCC1
Mol. weight [g/mol]:	152.28

Physical Properties

Property code	Value	Unit	Source
hfus	15.33	kJ/mol	Joback Method
hvap	51.07	kJ/mol	Cheméo Relay (1.0)
ie	8.44	eV	Cheméo Relay (1.0)
logp	4.067		Crippen Method
mcvol	150.690	ml/mol	McGowan Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	332.08	J/mol×K	481.94	Joback Method
cpg	350.93	J/mol×K	515.56	Joback Method
cpg	368.78	J/mol×K	549.19	Joback Method
cpg	385.70	J/mol×K	582.81	Joback Method
cpg	401.70	J/mol×K	616.44	Joback Method
cpg	416.83	J/mol×K	650.06	Joback Method
cpg	431.12	J/mol×K	683.68	Joback Method
dvisc	0.0067786	Pa×s	235.71	Joback Method
dvisc	0.0024663	Pa×s	276.75	Joback Method
dvisc	0.0011651	Pa×s	317.79	Joback Method
dvisc	0.0006534	Pa×s	358.83	Joback Method
dvisc	0.0004126	Pa×s	399.86	Joback Method
dvisc	0.0002838	Pa×s	440.90	Joback Method
dvisc	0.0002081	Pa×s	481.94	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C39546797&Units=SI
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Cheméo Relay (1.0, beta):	

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

Latest version available from:

<https://www.chemeo.com/cid/76-298-8/PENTYLIDENECYCLOHEXANE.pdf>

Generated by Cheméo on 2026-07-20 20:27:35.018069374 +0000 UTC m=+90350.859954754.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.