

(Z)-2-Penten-1-ol

Inchi:	InChI=1S/C5H10O/c1-2-3-4-5-6/h3-4,6H,2,5H2,1H3/b4-3-
InchiKey:	BTSIZIIPFNVMHF-ARJAWSKDSA-N
Formula:	C5H10O
SMILES:	CCC=CCO
Mol. weight [g/mol]:	86.13

Physical Properties

Property code	Value	Unit	Source
gf	-65.38	kJ/mol	Joback Method
hf	-181.54	kJ/mol	Joback Method
hfus	13.00	kJ/mol	Joback Method
hvap	43.36	kJ/mol	Joback Method
log10ws	-1.03		Crippen Method
logp	0.945		Crippen Method
mcvol	82.880	ml/mol	McGowan Method
pc	4140.93	kPa	Joback Method
ripol	746.00		NIST Webbook
ripol	765.00		NIST Webbook
ripol	765.00		NIST Webbook
ripol	1321.00		NIST Webbook
ripol	1320.00		NIST Webbook
ripol	1326.00		NIST Webbook
ripol	1317.00		NIST Webbook
ripol	1317.00		NIST Webbook
ripol	1324.00		NIST Webbook
ripol	1335.00		NIST Webbook
tb	410.14	K	Joback Method
tc	579.75	K	Joback Method
tf	201.85	K	Joback Method
vc	0.315	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
---------------	-------	------	-----------------	--------

cpg	154.30	J/molxK	410.14	Joback Method
cpg	190.77	J/molxK	551.48	Joback Method
cpg	184.13	J/molxK	523.21	Joback Method
cpg	177.18	J/molxK	494.94	Joback Method
cpg	169.90	J/molxK	466.68	Joback Method
cpg	162.28	J/molxK	438.41	Joback Method
cpg	197.11	J/molxK	579.75	Joback Method
dvisc	0.0002330	Paxs	410.14	Joback Method
dvisc	0.0004073	Paxs	375.42	Joback Method
dvisc	0.0007977	Paxs	340.71	Joback Method
dvisc	0.0018199	Paxs	306.00	Joback Method
dvisc	0.0051279	Paxs	271.28	Joback Method
dvisc	0.0195828	Paxs	236.56	Joback Method
dvisc	0.1185690	Paxs	201.85	Joback Method

Sources

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=R601208&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307I>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature

tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/76-497-7/Z-2-Penten-1-ol.pdf>

Generated by Cheméo on 2024-04-23 08:00:14.141568647 +0000 UTC m=+16148463.062145974.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.