

# (E)-2-Octenol

Inchi:	InChI=1S/C8H16O/c1-2-3-4-5-6-7-8-9/h6-7,9H,2-5,8H2,1H3/b7-6+
InchiKey:	AYQPVPFZWIQERS-VOTSOKGWSA-N
Formula:	C8H16O
SMILES:	CCCCC=CCO
Mol. weight [g/mol]:	128.21

## Physical Properties

Property code	Value	Unit	Source
gf	-40.12	kJ/mol	Joback Method
hf	-243.46	kJ/mol	Joback Method
hfus	20.77	kJ/mol	Joback Method
hvap	50.04	kJ/mol	Joback Method
log10ws	-2.29		Crippen Method
logp	2.115		Crippen Method
mcvol	125.150	ml/mol	McGowan Method
pc	2947.28	kPa	Joback Method
rinpol	1071.00		NIST Webbook
tb	478.78	K	Joback Method
tc	645.49	K	Joback Method
tf	235.66	K	Joback Method
vc	0.482	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	273.29	J/mol×K	478.78	Joback Method
cpg	284.49	J/mol×K	506.57	Joback Method
cpg	295.20	J/mol×K	534.35	Joback Method
cpg	305.44	J/mol×K	562.14	Joback Method
cpg	315.25	J/mol×K	589.92	Joback Method
cpg	324.63	J/mol×K	617.71	Joback Method
cpg	333.60	J/mol×K	645.49	Joback Method
dvisc	0.0553869	Paxs	235.66	Joback Method
dvisc	0.0099375	Paxs	276.18	Joback Method

dvisc	0.0027674	Paxs	316.70	Joback Method
dvisc	0.0010300	Paxs	357.22	Joback Method
dvisc	0.0004689	Paxs	397.74	Joback Method
dvisc	0.0002469	Paxs	438.26	Joback Method
dvisc	0.0001449	Paxs	478.78	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R625902&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R625902&amp;Units=SI</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/76-652-4/E-2-Octenol.pdf>

Generated by Cheméo on 2024-04-20 04:24:14.881255629 +0000 UTC m=+15876303.801832941.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.