

# 2-Caren-4-ol

<b>Inchi:</b>	InChI=1S/C10H16O/c1-6-4-7-8(5-9(6)11)10(7,2)3/h4,7-9,11H,5H2,1-3H3
<b>InchiKey:</b>	XCIZLAMMPDJKRZ-UHFFFAOYSA-N
<b>Formula:</b>	C10H16O
<b>SMILES:</b>	CC1=CC2C(CC1O)C2(C)C
<b>Mol. weight [g/mol]:</b>	152.23
<b>CAS:</b>	6617-35-2

## Physical Properties

Property code	Value	Unit	Source
gf	5.32	kJ/mol	Joback Method
hf	-241.65	kJ/mol	Joback Method
hfus	16.59	kJ/mol	Joback Method
hvap	53.72	kJ/mol	Joback Method
log10ws	-2.30		Crippen Method
logp	1.969		Crippen Method
mvol	131.610	ml/mol	McGowan Method
pc	3082.99	kPa	Joback Method
rinpol	1181.20		NIST Webbook
rinpol	1181.20		NIST Webbook
tb	533.17	K	Joback Method
tc	729.30	K	Joback Method
tf	324.34	K	Joback Method
vc	0.502	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	336.85	J/mol×K	533.17	Joback Method
cpg	351.53	J/mol×K	565.86	Joback Method
cpg	365.30	J/mol×K	598.55	Joback Method
cpg	378.26	J/mol×K	631.23	Joback Method
cpg	390.53	J/mol×K	663.92	Joback Method
cpg	402.21	J/mol×K	696.61	Joback Method
cpg	413.40	J/mol×K	729.30	Joback Method

# Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C6617352&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C6617352&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.cheméo.com/doc/models/crippen_log10ws">https://www.cheméo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

# Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>h vap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>r in pol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/76-719-0/2-Caren-4-ol.pdf>

Generated by Cheméo on 2024-04-25 21:52:55.895286436 +0000 UTC m=+16371224.815863747.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.