

2-Propenal, 3-(1,3-benzodioxol-5-yl)-

Other names:	3-(1,3-benzodioxol-5-yl)acrylaldehyde (E)-3-(Benzo[d][1,3]dioxol-5-yl)acrylaldehyde
Inchi:	InChI=1S/C10H8O3/c11-5-1-2-8-3-4-9-10(6-8)13-7-12-9/h1-6H,7H2/b2-1+
InchiKey:	HZUFMSJUNLSDSZ-OWOJBTEDSA-N
Formula:	C10H8O3
SMILES:	O=CC=Cc1ccc2c(c1)OCO2
Mol. weight [g/mol]:	176.17
CAS:	14756-00-4

Physical Properties

Property code	Value	Unit	Source
gf	3.39	kJ/mol	Joback Method
hf	-175.36	kJ/mol	Joback Method
hfus	30.43	kJ/mol	Joback Method
hvap	57.37	kJ/mol	Joback Method
log10ws	-2.20		Crippen Method
logp	1.627		Crippen Method
mcvol	126.150	ml/mol	McGowan Method
pc	3877.12	kPa	Joback Method
rinpol	1648.00		NIST Webbook
rinpol	1559.10		NIST Webbook
rinpol	1559.10		NIST Webbook
tb	582.97	K	Joback Method
tc	817.27	K	Joback Method
tf	366.16	K	Joback Method
vc	0.484	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	296.74	J/molxK	582.97	Joback Method
cpg	344.80	J/molxK	778.22	Joback Method
cpg	336.65	J/molxK	739.17	Joback Method
cpg	327.86	J/molxK	700.12	Joback Method

cpg	318.33	J/molxK	661.07	Joback Method
cpg	307.99	J/molxK	622.02	Joback Method
cpg	352.39	J/molxK	817.27	Joback Method
dvisc	0.0004693	Paxs	582.97	Joback Method
dvisc	0.0005586	Paxs	546.84	Joback Method
dvisc	0.0006815	Paxs	510.70	Joback Method
dvisc	0.0008571	Paxs	474.57	Joback Method
dvisc	0.0011194	Paxs	438.43	Joback Method
dvisc	0.0015339	Paxs	402.30	Joback Method
dvisc	0.0022365	Paxs	366.16	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C14756004&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/77-088-0/2-Propenal-3-1-3-benzodioxol-5-yl.pdf>

Generated by Cheméo on 2024-04-24 19:08:16.779241388 +0000 UTC m=+16274945.699818704.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.