

(E)-3-Penten-1-one

Inchi:

InChI=1S/C5H8O/c1-2-3-4-5-6/h2-3,5H,4H2,1H3/b3-2+

InchiKey:

WUCQRXWCJPCWTQ-NSCUHMNNSA-N

Formula:

C5H8O

SMILES:

CC=CCC=O

Mol. weight [g/mol]:

84.12

Physical Properties

Property code	Value	Unit	Source
gf	-28.08	kJ/mol	Joback Method
hf	-114.89	kJ/mol	Joback Method
hfus	11.20	kJ/mol	Joback Method
hvap	33.40	kJ/mol	Joback Method
log10ws	-1.05		Crippen Method
logp	1.151		Crippen Method
mcvol	78.580	ml/mol	McGowan Method
pc	4046.64	kPa	Joback Method
rinpol	735.00		NIST Webbook
rinpol	735.00		NIST Webbook
tb	366.62	K	Joback Method
tc	548.86	K	Joback Method
tf	183.03	K	Joback Method
vc	0.312	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	130.02	J/mol×K	366.62	Joback Method
cpg	138.10	J/mol×K	396.99	Joback Method
cpg	145.79	J/mol×K	427.37	Joback Method
cpg	153.10	J/mol×K	457.74	Joback Method
cpg	160.05	J/mol×K	488.11	Joback Method
cpg	166.65	J/mol×K	518.49	Joback Method
cpg	172.92	J/mol×K	548.86	Joback Method
dvisc	0.0033669	Pa×s	183.03	Joback Method

dvisc	0.0016007	Pa×s	213.63	Joback Method
dvisc	0.0009169	Pa×s	244.23	Joback Method
dvisc	0.0005946	Pa×s	274.82	Joback Method
dvisc	0.0004205	Pa×s	305.42	Joback Method
dvisc	0.0003168	Pa×s	336.02	Joback Method
dvisc	0.0002502	Pa×s	366.62	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R615524&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/77-709-0/E-3-Penten-1-one.pdf>

Generated by Cheméo on 2025-12-05 22:33:14.511152784 +0000 UTC m=+4722192.041193447.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.