

4-vinyl-«alpha»-methylstyrene

Other names:	1-Vinyl-4«alpha»-methylstyrene
Inchi:	InChI=1S/C11H12/c1-4-10-5-7-11(8-6-10)9(2)3/h4-8H,1-2H2,3H3
InchiKey:	NRPJKIBPPQLLDX-UHFFFAOYSA-N
Formula:	C11H12
SMILES:	<chem>C=Cc1ccc(C(=C)C)cc1</chem>
Mol. weight [g/mol]:	144.21

Physical Properties

Property code	Value	Unit	Source
gf	311.65	kJ/mol	Joback Method
hf	195.76	kJ/mol	Joback Method
hfus	14.03	kJ/mol	Joback Method
hvap	41.76	kJ/mol	Joback Method
log10ws	-3.54		Crippen Method
logp	3.363		Crippen Method
mcvol	133.490	ml/mol	McGowan Method
pc	2862.74	kPa	Joback Method
rinpol	1218.50		NIST Webbook
rinpol	1218.50		NIST Webbook
tb	475.98	K	Joback Method
tc	692.49	K	Joback Method
tf	235.19	K	Joback Method
vc	0.506	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	265.83	J/molxK	475.98	Joback Method
cpg	280.46	J/molxK	512.06	Joback Method
cpg	294.18	J/molxK	548.15	Joback Method
cpg	307.06	J/molxK	584.23	Joback Method
cpg	319.12	J/molxK	620.32	Joback Method
cpg	330.41	J/molxK	656.40	Joback Method
cpg	340.98	J/molxK	692.49	Joback Method

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R11410&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpola:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/77-797-3/4-vinyl-alpha-methylstyrene.pdf>

Generated by Cheméo on 2024-04-27 21:03:34.119993908 +0000 UTC m=+16541063.040571223.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.