

Acora-4,9-diene

Inchi:

InchiKey:

Formula:

SMILES:

Mol. weight [g/mol]:

InChI=1S/C15H24/c1-11(2)14-6-5-13(4)15(14)9-7-12(3)8-10-15/h5,7,11,14H,6,8-10H2,1-

ZZDYAQRLRNJKBO-UHFFFAOYSA-N

C15H24

CC1=CCC2(CC1)C(C)=CCC2C(C)C

204.35

Physical Properties

Property code	Value	Unit	Source
gf	181.25	kJ/mol	Joback Method
hf	-129.39	kJ/mol	Joback Method
hfus	14.32	kJ/mol	Joback Method
hvap	49.87	kJ/mol	Joback Method
log10ws	-4.87		Crippen Method
logp	4.725		Crippen Method
mcvol	191.890	ml/mol	McGowan Method
pc	2060.49	kPa	Joback Method
rinpol	1444.00		NIST Webbook
rinpol	1444.00		NIST Webbook
ripol	1622.00		NIST Webbook
ripol	1622.00		NIST Webbook
tb	581.24	K	Joback Method
tc	805.31	K	Joback Method
tf	316.07	K	Joback Method
vc	0.722	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	501.03	J/mol×K	581.24	Joback Method
cpg	523.21	J/mol×K	618.59	Joback Method
cpg	544.03	J/mol×K	655.93	Joback Method
cpg	563.63	J/mol×K	693.28	Joback Method
cpg	582.18	J/mol×K	730.62	Joback Method
cpg	599.82	J/mol×K	767.97	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R231473&Units=SI

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/79-096-9/Acora-4-9-diene.pdf>

Generated by Cheméo on 2025-12-23 06:14:14.801872667 +0000 UTC m=+6218652.331913321.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.