

epoxyterpinolene

Other names:	4,8-Epoxyterpinolene Terpinolen-4,8-epoxide
Inchi:	InChI=1S/C10H16O/c1-8-4-6-10(7-5-8)9(2,3)11-10/h4H,5-7H2,1-3H3
InchiKey:	RTLTXDTPFWZLO-UHFFFAOYSA-N
Formula:	C10H16O
SMILES:	CC1=CCC2(CC1)OC2(C)C
Mol. weight [g/mol]:	152.23

Physical Properties

Property code	Value	Unit	Source
gf	53.85	kJ/mol	Joback Method
hf	-171.66	kJ/mol	Joback Method
hfus	9.94	kJ/mol	Joback Method
hvap	41.19	kJ/mol	Joback Method
log10ws	-2.96		Crippen Method
logp	2.664		Crippen Method
mcvol	131.610	ml/mol	McGowan Method
pc	3206.41	kPa	Joback Method
ripol	1447.00		NIST Webbook
ripol	1477.00		NIST Webbook
ripol	1486.00		NIST Webbook
tb	481.79	K	Joback Method
tc	708.23	K	Joback Method
tf	318.95	K	Joback Method
vc	0.496	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	306.37	J/molxK	481.79	Joback Method
cpg	324.18	J/molxK	519.53	Joback Method
cpg	340.36	J/molxK	557.27	Joback Method
cpg	355.16	J/molxK	595.01	Joback Method
cpg	368.87	J/molxK	632.75	Joback Method

cpg	381.73	J/mol×K	670.49	Joback Method
cpg	394.01	J/mol×K	708.23	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R234452&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/79-694-5/epoxyterpinolene.pdf>

Generated by Cheméo on 2024-04-24 02:41:42.812186085 +0000 UTC m=+16215751.732763401.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.