

p-Anisic acid, tridec-2-ynyl ester

Inchi:	InChI=1S/C21H30O3/c1-3-4-5-6-7-8-9-10-11-12-13-18-24-21(22)19-14-16-20(23-2)17-15
InchiKey:	VONBPIFDCRWUFR-UHFFFAOYSA-N
Formula:	C21H30O3
SMILES:	CCCCCCCCC#CCOC(=O)c1ccc(OC)cc1
Mol. weight [g/mol]:	330.46

Physical Properties

Property code	Value	Unit	Source
gf	92.60	kJ/mol	Joback Method
hf	-356.43	kJ/mol	Joback Method
hfus	50.89	kJ/mol	Joback Method
hvap	79.00	kJ/mol	Joback Method
log10ws	-6.65		Crippen Method
logp	5.386		Crippen Method
mvol	287.700	ml/mol	McGowan Method
pc	1342.74	kPa	Joback Method
rinpol	2534.00		NIST Webbook
rinpol	2534.00		NIST Webbook
tb	819.25	K	Joback Method
tc	1023.62	K	Joback Method
tf	565.86	K	Joback Method
vc	1.107	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	866.52	J/molxK	819.25	Joback Method
cpg	883.93	J/molxK	853.31	Joback Method
cpg	900.19	J/molxK	887.37	Joback Method
cpg	915.32	J/molxK	921.44	Joback Method
cpg	929.36	J/molxK	955.50	Joback Method
cpg	942.31	J/molxK	989.56	Joback Method
cpg	954.21	J/molxK	1023.62	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U299200&Units=SI

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvp:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinp:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/80-347-8/p-Anisic-acid-tridec-2-ynyl-ester.pdf>

Generated by Cheméo on 2024-04-28 04:05:36.849239366 +0000 UTC m=+16566385.769816681.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.