

Butyl octyl terephthalate

Inchi:

lnchl=1S/C20H30O4/c1-3-5-7-8-9-10-16-24-20(22)18-13-11-17(12-14-18)19(21)23-15-6

InchiKey:

XFADVSXRQFGART-UHFFFAOYSA-N

Formula:

C20H30O4

SMILES:

CCCCCCCCOC(=O)c1ccc(C(=O)OCCCC)cc1

Mol. weight [g/mol]:

334.45

Physical Properties

Property code	Value	Unit	Source
gf	-247.54	kJ/mol	Joback Method
hf	-720.67	kJ/mol	Joback Method
hfus	46.78	kJ/mol	Joback Method
hvap	81.36	kJ/mol	Joback Method
log10ws	-6.14		Crippen Method
logp	5.161		Crippen Method
mcvol	283.780	ml/mol	McGowan Method
pc	1341.76	kPa	Joback Method
rinpol	2465.00		NIST Webbook
tb	841.24	K	Joback Method
tc	1041.25	K	Joback Method
tf	498.42	K	Joback Method
vc	1.095	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	877.72	J/mol×K	841.24	Joback Method
cpg	893.85	J/mol×K	874.57	Joback Method
cpg	908.85	J/mol×K	907.91	Joback Method
cpg	922.75	J/mol×K	941.24	Joback Method
cpg	935.56	J/mol×K	974.58	Joback Method
cpg	947.32	J/mol×K	1007.91	Joback Method
cpg	958.03	J/mol×K	1041.25	Joback Method
dvisc	0.0005930	Pa×s	498.42	Joback Method
dvisc	0.0003251	Pa×s	555.56	Joback Method

dvisc	0.0001994	Pa×s	612.69	Joback Method
dvisc	0.0001329	Pa×s	669.83	Joback Method
dvisc	0.0000945	Pa×s	726.97	Joback Method
dvisc	0.0000705	Pa×s	784.10	Joback Method
dvisc	0.0000548	Pa×s	841.24	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R15169&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/80-557-5/Butyl-octyl-terephthalate.pdf>

Generated by Cheméo on 2025-12-05 22:44:24.414896889 +0000 UTC m=+4722861.944937543.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.