

Vinyl butyrate

Other names:	Butanoic acid, ethenyl ester Butyric acid, vinyl ester UN 2838 Vinyl butanoate Vinyl butyrate, inhibited Vinylester kyseliny maselne n-Butyric acid vinyl ester
Inchi:	InChI=1S/C6H10O2/c1-3-5-6(7)8-4-2/h4H,2-3,5H2,1H3
InchiKey:	MEGHWIAOTJPCHQ-UHFFFAOYSA-N
Formula:	C6H10O2
SMILES:	C=COC(=O)CCC
Mol. weight [g/mol]:	114.14
CAS:	123-20-6

Physical Properties

Property code	Value	Unit	Source
gf	-146.44	kJ/mol	Joback Method
hf	-286.54	kJ/mol	Joback Method
hfus	12.80	kJ/mol	Joback Method
hvap	37.44	kJ/mol	Joback Method
log10ws	-1.55		Crippen Method
logp	1.473		Crippen Method
mcvol	98.540	ml/mol	McGowan Method
pc	3435.91	kPa	Joback Method
rinpol	722.00		NIST Webbook
rinpol	745.00		NIST Webbook
rinpol	758.00		NIST Webbook
rinpol	745.00		NIST Webbook
rinpol	758.00		NIST Webbook
rinpol	750.00		NIST Webbook
rinpol	722.00		NIST Webbook
rinpol	729.00		NIST Webbook
rinpol	750.00		NIST Webbook
rinpol	750.00		NIST Webbook
ripol	1045.00		NIST Webbook
ripol	1045.00		NIST Webbook
ripol	1045.00		NIST Webbook

tb	389.00	K	NIST Webbook
tc	590.97	K	Joback Method
tf	227.78	K	Joback Method
vc	0.377	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	227.57	J/mol×K	560.75	Joback Method
cpg	219.68	J/mol×K	530.53	Joback Method
cpg	211.47	J/mol×K	500.31	Joback Method
cpg	202.94	J/mol×K	470.09	Joback Method
cpg	194.08	J/mol×K	439.87	Joback Method
cpg	184.90	J/mol×K	409.65	Joback Method
cpg	235.15	J/mol×K	590.97	Joback Method
dvisc	0.0026729	Paxs	227.78	Joback Method
dvisc	0.0002688	Paxs	409.65	Joback Method
dvisc	0.0003382	Paxs	379.34	Joback Method
dvisc	0.0004430	Paxs	349.03	Joback Method
dvisc	0.0006108	Paxs	318.72	Joback Method
dvisc	0.0009008	Paxs	288.40	Joback Method
dvisc	0.0014557	Paxs	258.09	Joback Method
hvapt	39.30	kJ/mol	376.00	NIST Webbook
rfi	1.40494		303.15	Liquid-liquid equilibria for ternary mixtures of 1-alkyl-3-methyl imidazolium bis{(trifluoromethyl)sulfonyl}imides, n-hexane and organic compounds at 303.15 K and 0.1 MPa

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.55567e+01

Coeff. B	-3.71325e+03
Coeff. C	-4.95280e+01
Temperature range (K), min.	292.72
Temperature range (K), max.	411.97

Sources

The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Liquid-liquid equilibria for ternary mixtures of 1-alkyl-3-methyl imidazoles:	https://www.doi.org/10.1016/j.jct.2016.08.033
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
bis((trifluoromethyl)sulfonyl)imides, Hexane and Organic compounds at 303.15 K and 0.1 MPa:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C123206&Units=SI
NIST Webbook:	

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/80-984-1/Vinyl-butyrate.pdf>

Generated by Cheméo on 2024-04-24 07:41:10.119942225 +0000 UTC m=+16233719.040519537.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.