

# Pimelic acid, di(2-propyl) ester

<b>Other names:</b>	Diisopropyl pimelate
<b>Inchi:</b>	InChI=1S/C13H24O4/c1-10(2)16-12(14)8-6-5-7-9-13(15)17-11(3)4/h10-11H,5-9H2,1-4H3
<b>InchiKey:</b>	FWBWDWDQUFGCOG-UHFFFAOYSA-N
<b>Formula:</b>	C13H24O4
<b>SMILES:</b>	CC(C)OC(=O)CCCCC(=O)OC(C)C
<b>Mol. weight [g/mol]:</b>	244.33

## Physical Properties

Property code	Value	Unit	Source
gf	-414.14	kJ/mol	Joback Method
hf	-811.81	kJ/mol	Joback Method
hfus	27.95	kJ/mol	Joback Method
hvap	62.07	kJ/mol	Joback Method
log10ws	-3.21		Crippen Method
logp	2.840		Crippen Method
mcvol	208.910	ml/mol	McGowan Method
pc	1798.51	kPa	Joback Method
rinpol	1553.00		NIST Webbook
rinpol	1523.00		NIST Webbook
rinpol	1523.00		NIST Webbook
rinpol	1553.00		NIST Webbook
tb	648.54	K	Joback Method
tc	830.39	K	Joback Method
tf	350.59	K	Joback Method
vc	0.799	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	569.26	J/molxK	648.54	Joback Method
cpg	584.92	J/molxK	678.85	Joback Method
cpg	599.84	J/molxK	709.16	Joback Method
cpg	614.03	J/molxK	739.46	Joback Method
cpg	627.48	J/molxK	769.77	Joback Method

cpg	640.21	J/mol×K	800.08	Joback Method
cpg	652.22	J/mol×K	830.39	Joback Method
dvisc	0.0025317	Paxs	350.59	Joback Method
dvisc	0.0011034	Paxs	400.25	Joback Method
dvisc	0.0005777	Paxs	449.91	Joback Method
dvisc	0.0003440	Paxs	499.56	Joback Method
dvisc	0.0002249	Paxs	549.22	Joback Method
dvisc	0.0001578	Paxs	598.88	Joback Method
dvisc	0.0001169	Paxs	648.54	Joback Method

## Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U406566&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U406566&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/83-270-0/Pimelic-acid-di-2-propyl-ester.pdf>

Generated by Cheméo on 2024-04-25 20:25:53.784119569 +0000 UTC m=+16366002.704696881.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.