

7,10-Epoxy-2,6,10-trimethyl-dodeca-2,11-dien-6-ol

Inchi:	InChI=1S/C15H26O2/c1-6-14(4)11-9-13(17-14)15(5,16)10-7-8-12(2)3/h6,8,13,16H,1,7,9-
InchiKey:	OIVTVPOJXCWXSIC-UHFFFAOYSA-N
Formula:	C15H26O2
SMILES:	C=CC1(C)CCC(C(C)(O)CCC=C(C)C)O1
Mol. weight [g/mol]:	238.37

Physical Properties

Property code	Value	Unit	Source
gf	38.18	kJ/mol	Joback Method
hf	-357.67	kJ/mol	Joback Method
hfus	25.58	kJ/mol	Joback Method
hvap	67.04	kJ/mol	Joback Method
log10ws	-4.39		Crippen Method
logp	3.608		Crippen Method
mcvol	214.490	ml/mol	McGowan Method
pc	1949.23	kPa	Joback Method
ripol	1561.00		NIST Webbook
ripol	2004.00		NIST Webbook
ripol	2004.00		NIST Webbook
tb	670.07	K	Joback Method
tc	868.36	K	Joback Method
tf	358.38	K	Joback Method
vc	0.804	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	619.27	J/molxK	670.07	Joback Method
cpg	636.72	J/molxK	703.12	Joback Method
cpg	653.31	J/molxK	736.17	Joback Method
cpg	669.17	J/molxK	769.22	Joback Method
cpg	684.44	J/molxK	802.26	Joback Method
cpg	699.24	J/molxK	835.31	Joback Method
cpg	713.72	J/molxK	868.36	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R229564&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpola:	Non-polar retention indices
ripola:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/83-689-6/7-10-Epoxy-2-6-10-trimethyl-dodeca-2-11-dien-6-ol-D.pdf>

Generated by Cheméo on 2024-04-18 21:46:03.873788098 +0000 UTC m=+15766012.794365441.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.