

Pulegol acetate

Inchi:	InChI=1S/C12H20O2/c1-8(2)11-6-5-9(3)7-12(11)14-10(4)13/h9,12H,5-7H2,1-4H3/t9-,12+
InchiKey:	ZAPTZQHAWAYFSW-JOYOIKCWSA-N
Formula:	C12H20O2
SMILES:	CC(=O)OC1CC(C)CCC1=C(C)C
Mol. weight [g/mol]:	196.29

Physical Properties

Property code	Value	Unit	Source
gf	-130.11	kJ/mol	Joback Method
hf	-435.59	kJ/mol	Joback Method
hfus	21.54	kJ/mol	Joback Method
hvap	52.45	kJ/mol	Joback Method
log10ws	-3.33		Crippen Method
logp	3.075		Crippen Method
mcvol	172.220	ml/mol	McGowan Method
pc	2229.20	kPa	Joback Method
rinpola	1310.00		NIST Webbook
ripola	1685.00		NIST Webbook
tb	571.65	K	Joback Method
tc	780.75	K	Joback Method
tf	296.70	K	Joback Method
vc	0.647	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	436.34	J/molxK	571.65	Joback Method
cpg	455.18	J/molxK	606.50	Joback Method
cpg	473.04	J/molxK	641.35	Joback Method
cpg	489.95	J/molxK	676.20	Joback Method
cpg	505.91	J/molxK	711.05	Joback Method
cpg	520.93	J/molxK	745.90	Joback Method
cpg	535.03	J/molxK	780.75	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R411406&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.cheméo.com/doc/models/crippen_log10ws

Legend

cp_g:	Ideal gas heat capacity
g_f:	Standard Gibbs free energy of formation
h_f:	Enthalpy of formation at standard conditions
h_{fus}:	Enthalpy of fusion at standard conditions
h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀ws:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
pc:	Critical Pressure
ri_{npol}:	Non-polar retention indices
ri_{pol}:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/85-053-9/Pulegol-acetate.pdf>

Generated by Cheméo on 2024-04-20 04:31:31.731246225 +0000 UTC m=+15876740.651823536.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.