

Pimelic acid, octyl 2-pentyl ester

Inchi:

VCXWOJBDDDDNUFJ-UHFFFAOYSA-N

InchiKey:

VCXWOJBDDDDNUFJ-UHFFFAOYSA-N

Formula:

C20H38O4

SMILES:

CCCCCCCCOC(=O)CCCCC(=O)OC(C)CCC

Mol. weight [g/mol]:

342.51

Physical Properties

Property code	Value	Unit	Source
gf	-352.76	kJ/mol	Joback Method
hf	-951.01	kJ/mol	Joback Method
hfus	49.61	kJ/mol	Joback Method
hvap	78.04	kJ/mol	Joback Method
log10ws	-6.03		Crippen Method
logp	5.572		Crippen Method
mcvol	307.540	ml/mol	McGowan Method
pc	1083.49	kPa	Joback Method
rinpol	2281.00		NIST Webbook
tb	809.14	K	Joback Method
tc	993.61	K	Joback Method
tf	444.48	K	Joback Method
vc	1.198	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	969.66	J/mol×K	809.14	Joback Method
cpg	987.99	J/mol×K	839.88	Joback Method
cpg	1005.26	J/mol×K	870.63	Joback Method
cpg	1021.49	J/mol×K	901.37	Joback Method
cpg	1036.69	J/mol×K	932.12	Joback Method
cpg	1050.89	J/mol×K	962.86	Joback Method
cpg	1064.10	J/mol×K	993.61	Joback Method
dvisc	0.0009916	Pa×s	444.48	Joback Method
dvisc	0.0004441	Pa×s	505.26	Joback Method

dvisc	0.0002364	Pa×s	566.03	Joback Method
dvisc	0.0001422	Pa×s	626.81	Joback Method
dvisc	0.0000935	Pa×s	687.59	Joback Method
dvisc	0.0000659	Pa×s	748.36	Joback Method
dvisc	0.0000489	Pa×s	809.14	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U393794&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/87-574-9/Pimelic-acid-octyl-2-pentyl-ester.pdf>

Generated by Cheméo on 2025-12-06 02:40:03.00227405 +0000 UTC m=+4737000.532314704.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.