

1,11-Undecanediamine

Other names:	1,11-Diaminoundecane Undecamethylenediamine Undecane-1,11-diamine
Inchi:	InChI=1S/C11H26N2/c12-10-8-6-4-2-1-3-5-7-9-11-13/h1-13H2
InchiKey:	KLNPWTHGTVSSEU-UHFFFAOYSA-N
Formula:	C11H26N2
SMILES:	NCCCCCCCCCCCN
Mol. weight [g/mol]:	186.34
CAS:	822-08-2

Physical Properties

Property code	Value	Unit	Source
gf	174.64	kJ/mol	Joback Method
hf	-202.79	kJ/mol	Joback Method
hfus	79.92	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	78.57	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	78.37	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	78.75	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	78.96	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	77.98	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	79.15	kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines

hfus	79.35		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	79.53		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	81.09		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	80.70		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	80.32		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
hfus	77.59		kJ/mol	Vapor pressure and enthalpy of vaporization of linear aliphatic alkanediamines
h _{vap}	61.36		kJ/mol	Joback Method
log ₁₀ w _s	-3.30			Crippen Method
log _p	2.415			Crippen Method
m _{cvol}	185.810		ml/mol	McGowan Method
p _c	2143.35		kPa	Joback Method
t _b	596.14		K	Joback Method
t _c	778.52		K	Joback Method
t _f	380.25		K	Joback Method
v _c	0.710		m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
c _{pg}	572.28	J/mol×K	748.13	Joback Method
c _{pg}	499.87	J/mol×K	596.14	Joback Method
c _{pg}	515.77	J/mol×K	626.54	Joback Method
c _{pg}	530.93	J/mol×K	656.93	Joback Method
c _{pg}	545.39	J/mol×K	687.33	Joback Method
c _{pg}	559.16	J/mol×K	717.73	Joback Method
c _{pg}	584.76	J/mol×K	778.52	Joback Method
h _{fust}	48.08	kJ/mol	313.60	NIST Webbook

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C822082&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Vapor pressure and enthalpy of vaporization of linear aliphatic alcohols:	https://www.doi.org/10.1016/j.jct.2011.06.008
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cp_g:	Ideal gas heat capacity
g_f:	Standard Gibbs free energy of formation
h_f:	Enthalpy of formation at standard conditions
h_{fus}:	Enthalpy of fusion at standard conditions
h_{fust}:	Enthalpy of fusion at a given temperature
h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀ws:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/88-249-9/1-11-Undecanediamine.pdf>

Generated by Cheméo on 2024-04-24 16:21:38.11633163 +0000 UTC m=+16264947.036908943.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.