

# Adipic acid, di(3-pentyl) ester

<b>Other names:</b>	di-(1-Ethylpropyl)adipate
<b>Inchi:</b>	InChI=1S/C16H30O4/c1-5-13(6-2)19-15(17)11-9-10-12-16(18)20-14(7-3)8-4/h13-14H,5-
<b>InchiKey:</b>	AACNUQUPCVKNKH-UHFFFAOYSA-N
<b>Formula:</b>	C16H30O4
<b>SMILES:</b>	CCC(CC)OC(=O)CCCCC(=O)OC(CC)CC
<b>Mol. weight [g/mol]:</b>	286.41

## Physical Properties

Property code	Value	Unit	Source
gf	-388.88	kJ/mol	Joback Method
hf	-873.73	kJ/mol	Joback Method
hfus	35.72	kJ/mol	Joback Method
hvap	68.75	kJ/mol	Joback Method
log10ws	-4.47		Crippen Method
logp	4.010		Crippen Method
mcvol	251.180	ml/mol	McGowan Method
pc	1428.30	kPa	Joback Method
rinpol	1788.00		NIST Webbook
rinpol	1788.00		NIST Webbook
tb	717.18	K	Joback Method
tc	897.32	K	Joback Method
tf	384.40	K	Joback Method
vc	0.968	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	734.56	J/mol×K	717.18	Joback Method
cpg	751.53	J/mol×K	747.20	Joback Method
cpg	767.64	J/mol×K	777.23	Joback Method
cpg	782.89	J/mol×K	807.25	Joback Method
cpg	797.29	J/mol×K	837.27	Joback Method
cpg	810.84	J/mol×K	867.29	Joback Method
cpg	823.57	J/mol×K	897.32	Joback Method

dvisc	0.0018907	Paxs	384.40	Joback Method
dvisc	0.0007981	Paxs	439.86	Joback Method
dvisc	0.0004087	Paxs	495.33	Joback Method
dvisc	0.0002395	Paxs	550.79	Joback Method
dvisc	0.0001547	Paxs	606.25	Joback Method
dvisc	0.0001076	Paxs	661.72	Joback Method
dvisc	0.0000791	Paxs	717.18	Joback Method

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U324620&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U324620&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/92-383-5/Adipic-acid-di-3-pentyl-ester.pdf>

Generated by Cheméo on 2024-04-26 15:02:52.58559899 +0000 UTC m=+16433021.506176312.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.