

# Benzeneacetic acid, phenyl ester

|                      |                                                                             |
|----------------------|-----------------------------------------------------------------------------|
| Other names:         | Phenylacetic acid, phenyl ester                                             |
| Inchi:               | InChI=1S/C14H12O2/c15-14(11-12-7-3-1-4-8-12)16-13-9-5-2-6-10-13/h1-10H,11H2 |
| InchiKey:            | USVNNHYNCCJCCP-UHFFFAOYSA-N                                                 |
| Formula:             | C14H12O2                                                                    |
| SMILES:              | O=C(Cc1ccccc1)Oc1ccccc1                                                     |
| Mol. weight [g/mol]: | 212.24                                                                      |
| CAS:                 | 722-01-0                                                                    |

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | 57.90   | kJ/mol  | Joback Method  |
| hf            | -104.03 | kJ/mol  | Joback Method  |
| hfus          | 22.89   | kJ/mol  | Joback Method  |
| hvap          | 60.47   | kJ/mol  | Joback Method  |
| log10ws       | -3.40   |         | Crippen Method |
| logp          | 2.835   |         | Crippen Method |
| mcvol         | 168.040 | ml/mol  | McGowan Method |
| pc            | 2909.25 | kPa     | Joback Method  |
| rinpol        | 1772.00 |         | NIST Webbook   |
| rinpol        | 1772.00 |         | NIST Webbook   |
| tb            | 649.37  | K       | Joback Method  |
| tc            | 892.14  | K       | Joback Method  |
| tf            | 372.54  | K       | Joback Method  |
| vc            | 0.627   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 415.95 | J/mol×K | 649.37          | Joback Method |
| cpg           | 431.27 | J/mol×K | 689.83          | Joback Method |
| cpg           | 445.36 | J/mol×K | 730.29          | Joback Method |
| cpg           | 458.28 | J/mol×K | 770.75          | Joback Method |
| cpg           | 470.08 | J/mol×K | 811.21          | Joback Method |
| cpg           | 480.83 | J/mol×K | 851.67          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 490.57    | J/mol×K | 892.14 | Joback Method |
| dvisc | 0.0016037 | Pa×s    | 372.54 | Joback Method |
| dvisc | 0.0008710 | Pa×s    | 418.68 | Joback Method |
| dvisc | 0.0005339 | Pa×s    | 464.82 | Joback Method |
| dvisc | 0.0003576 | Pa×s    | 510.96 | Joback Method |
| dvisc | 0.0002559 | Pa×s    | 557.09 | Joback Method |
| dvisc | 0.0001928 | Pa×s    | 603.23 | Joback Method |
| dvisc | 0.0001512 | Pa×s    | 649.37 | Joback Method |

## Sources

|                        |                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                         |
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                     |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                     |
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C722010&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C722010&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>                                 |

## Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/92-784-0/Benzeneacetic-acid-phenyl-ester.pdf>

Generated by Cheméo on 2025-12-25 14:16:36.652356838 +0000 UTC m=+6420394.182397492.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.