# 2-(2-methyl-3-chloroanilino)nicotinic acid

Other names:	2-((3-chloro-2-methylphenyl)amino)nicotinic acid		
	clonixic acid		
Inchi:	InChI=1S/C13H11CIN2O2/c1-8-10(14)5-2-6-11(8)16-12-9(13(17)18)4-3-7-15-12/h2-7H,1		
InchiKey:	CLOMYZFHNHFSIQ-UHFFFAOYSA-N		
Formula:	C13H11CIN2O2		
SMILES:	Cc1c(Cl)cccc1Nc1ncccc1C(=O)O		
Mol. weight [g/mol]:	262.70		

# **Physical Properties**

Property code	Value	Unit	Source
log10ws	-4.26		Crippen Method
logp	3.485		Crippen Method
mcvol	186.150	ml/mol	McGowan Method
tf	505.75	К	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin

# **Temperature Dependent Properties**

Property code	Value	Unit	Temperature [K]	Source
psub	7.53e-04	kPa	419.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin
psub	8.67e-04	kPa	421.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin

psub	9.66e-04	kPa	423.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	1.12e-03	kPa	425.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	1.29e-03	kPa	427.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	1.47e-03	kPa	429.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	1.69e-03	kPa	431.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	1.93e-03	kPa	433.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	2.21e-03	kPa	435.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	

psub	2.48e-03	kPa	437.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	2.88e-03	kPa	439.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	3.18e-03	kPa	441.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	
psub	3.74e-03	kPa	443.15	A thermodynamic study of sublimation, dissolution and distribution processes of anti-inflammatory drug Clonixin	

### **Sources**

**Crippen Method:** 

**Crippen Method:** 

https://www.chemeo.com/doc/models/crippen\_log10ws A thermodynamic study of sublimation, https://www.doi.org/10.1016/j.jct.2019.01.006 dissolution and distribution processes McGrewan Methadery drug Clonixin: http://link.springer.com/article/10.1007/BF023 http://link.springer.com/article/10.1007/BF02311772 http://pubs.acs.org/doi/abs/10.1021/ci990307I

### Legend

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
psub:	Sublimation pressure
tf:	Normal melting (fusion) point

#### Latest version available from:

https://www.chemeo.com/cid/104-953-8/2-2-methyl-3-chloroanilino-nicotinic-acid.pdf

Generated by Cheméo on 2024-05-12 21:06:26.358454565 +0000 UTC m=+17837235.279031876.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.