Cytosine

Other names:	2(1H)-Pyrimidinone, 4-amino-
	4-Amino-2(1H)-pyrimidinone
	4-Amino-2(1H)pyrimidone
	4-Amino-2-hydroxypyrimidine
	4-Amino-2-oxypyrimidine
	Cyt
	Cytosinimine
Inchi:	InChI=1S/C4H5N3O/c5-3-1-2-6-4(8)7-3/h1-2H,(H3,5,6,7,8)
InchiKey:	OPTASPLRGRRNAP-UHFFFAOYSA-N
Formula:	C4H5N3O
SMILES:	Nc1ccnc(=O)[nH]1
Mol. weight [g/mol]:	111.10
CAS:	71-30-7

Physical Properties

Property code	Value	Unit	Source
affp	949.90	kJ/mol	NIST Webbook
basg	918.00	kJ/mol	NIST Webbook
chs	-2053.18 ± 0.37	kJ/mol	NIST Webbook
chs	-2067.30 ± 2.00	kJ/mol	NIST Webbook
ea	0.23 ± 0.01	eV	NIST Webbook
ea	2.34 ± 0.10	eV	NIST Webbook
ea	0.09 ± 0.01	eV	NIST Webbook
hf	-59.00 ± 10.00	kJ/mol	NIST Webbook
hfs	-221.30 ± 2.30	kJ/mol	NIST Webbook
hfs	-235.43 ± 0.46	kJ/mol	NIST Webbook
hsub	167.00 ± 10.00	kJ/mol	NIST Webbook
hsub	176.00 ± 10.00	kJ/mol	NIST Webbook
hsub	176.00 ± 10.00	kJ/mol	NIST Webbook
hsub	155.00 ± 3.00	kJ/mol	NIST Webbook
ie	8.94 ± 0.03	eV	NIST Webbook
ie	8.90 ± 0.20	eV	NIST Webbook
ie	9.00 ± 0.10	eV	NIST Webbook
ie	8.45	eV	NIST Webbook
log10ws	-1.16		Estimated Solubility Method

log10ws	-1.17		Aqueous Solubility Prediction Method
log10ws	-1.16		Aqueous and cosolvent solubility data for drug-like organic compounds
logp	-1.130		Crippen Method
mcvol	79.270	ml/mol	McGowan Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cps	132.60	J/mol×K	298.00	NIST Webbook
hsubt	167.70 ± 0.50	kJ/mol	365.00	NIST Webbook
hsubt	151.70 ± 0.70	kJ/mol	515.00	NIST Webbook
hsubt	147.20 ± 2.60	kJ/mol	453.00	NIST Webbook

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C71307&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Aqueous Solubility Prediction Method:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa
Estimated Solubility Method:	http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt
Aqueous and cosolvent solubility data for drug-like organic compounds:	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2751500/
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

affp:	Proton affinity
basg:	Gas basicity
chs:	Standard solid enthalpy of combustion
cps:	Solid phase heat capacity
ea:	Electron affinity
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature

ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

Latest version available from:

https://www.chemeo.com/cid/105-197-7/Cytosine.pdf

Generated by Cheméo on 2024-10-12 06:55:58.140213769 +0000 UTC m=+3297020.777183028.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.