

# N-benzylidene-o-toluidine

**Inchi:** InChI=1S/C14H13N/c1-12-7-5-6-10-14(12)15-11-13-8-3-2-4-9-13/h2-11H,1H3  
**InchiKey:** PUUAIRXOPHLROM-UHFFFAOYSA-N  
**Formula:** C14H13N  
**SMILES:** Cc1ccccc1N=Cc1ccccc1  
**Mol. weight [g/mol]:** 195.26  
**CAS:** 5877-55-4

## Physical Properties

Property code	Value	Unit	Source
hf	211.52	kJ/mol	Joback Method
hvap	55.29	kJ/mol	Joback Method
ie	8.06	eV	NIST Webbook
ie	7.70	eV	NIST Webbook
log10ws	-3.81		Crippen Method
logp	3.746		Crippen Method
mcvol	166.280	ml/mol	McGowan Method
pc	2450.74	kPa	Joback Method
tb	654.74	K	Joback Method
tc	911.07	K	Joback Method

## Sources

**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci9903071>  
**Crippen Method:** [https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)  
**Joback Method:** [https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)  
**McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>  
**NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=C5877554&Units=SI>

## Legend

**hf:** Enthalpy of formation at standard conditions

<b>h<sub>vap</sub>:</b>	Enthalpy of vaporization at standard conditions
<b>i<sub>e</sub>:</b>	Ionization energy
<b>log<sub>10</sub>w<sub>s</sub>:</b>	Log10 of Water solubility in mol/l
<b>log<sub>p</sub>:</b>	Octanol/Water partition coefficient
<b>m<sub>cvol</sub>:</b>	McGowan's characteristic volume
<b>p<sub>c</sub>:</b>	Critical Pressure
<b>t<sub>b</sub>:</b>	Normal Boiling Point Temperature
<b>t<sub>c</sub>:</b>	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/108-276-6/N-benzylidene-o-toluidine.pdf>

Generated by Cheméo on 2024-04-28 10:26:34.767025175 +0000 UTC m=+16589243.687602496.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.