

Acetic acid, 8-chlorooctyl ester

Other names:	1-Octanol, 8-chloro, acetate 8-Chloro-1-octanol, acetate
Inchi:	InChI=1S/C10H19ClO2/c1-10(12)13-9-7-5-3-2-4-6-8-11/h2-9H2,1H3
InchiKey:	GMADNPIAEYOEIL-UHFFFAOYSA-N
Formula:	C10H19ClO2
SMILES:	CC(=O)OCCCCCCCCI
Mol. weight [g/mol]:	206.71
CAS:	21727-90-2

Physical Properties

Property code	Value	Unit	Source
gf	-212.53	kJ/mol	Joback Method
hf	-510.27	kJ/mol	Joback Method
hfus	28.64	kJ/mol	Joback Method
hvap	51.39	kJ/mol	Joback Method
log10ws	-3.02		Crippen Method
logp	3.129		Crippen Method
mcvol	171.440	ml/mol	McGowan Method
pc	2125.60	kPa	Joback Method
rinpol	1499.00		NIST Webbook
rinpol	1456.00		NIST Webbook
rinpol	1435.00		NIST Webbook
rinpol	1435.00		NIST Webbook
rinpol	1452.00		NIST Webbook
rinpol	1492.00		NIST Webbook
rinpol	1425.00		NIST Webbook
rinpol	1451.00		NIST Webbook
rinpol	1456.00		NIST Webbook
rinpol	1458.00		NIST Webbook
rinpol	1459.00		NIST Webbook
rinpol	1435.00		NIST Webbook
ripol	1987.00		NIST Webbook
ripol	2006.00		NIST Webbook
ripol	1994.00		NIST Webbook
tb	541.92	K	Joback Method
tc	719.34	K	Joback Method
tf	304.54	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	398.46	J/molxK	541.92	Joback Method
cpg	412.10	J/molxK	571.49	Joback Method
cpg	425.18	J/molxK	601.06	Joback Method
cpg	437.70	J/molxK	630.63	Joback Method
cpg	449.68	J/molxK	660.20	Joback Method
cpg	461.13	J/molxK	689.77	Joback Method
cpg	472.05	J/molxK	719.34	Joback Method
dvisc	0.0028840	Paxs	304.54	Joback Method
dvisc	0.0014664	Paxs	344.10	Joback Method
dvisc	0.0008572	Paxs	383.67	Joback Method
dvisc	0.0005540	Paxs	423.23	Joback Method
dvisc	0.0003858	Paxs	462.79	Joback Method
dvisc	0.0002844	Paxs	502.36	Joback Method
dvisc	0.0002192	Paxs	541.92	Joback Method

Sources

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C21727902&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg: Ideal gas heat capacity

dvisc: Dynamic viscosity

gf: Standard Gibbs free energy of formation

hf: Enthalpy of formation at standard conditions

hfus: Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/11-535-5/Acetic-acid-8-chlorooctyl-ester.pdf>

Generated by Cheméo on 2024-04-30 16:02:11.78909871 +0000 UTC m=+16782180.709676025.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.