

# Methane, dibromo-

Other names:	CH2Br2 Dibromomethane METHYL DIBROMIDE METHYLENE BROMIDE Methylene dibromide REFRIGERANT-30B2 Rcra waste number U068 UN 2664
Inchi:	InChI=1S/CH2Br2/c2-1-3/h1H2
InchiKey:	FJBFPHVGWTDIP-UHFFFAOYSA-N
Formula:	CH2Br2
SMILES:	BrCBr
Mol. weight [g/mol]:	173.84
CAS:	74-95-3

## Physical Properties

Property code	Value	Unit	Source
dm	1.90	debye	KDB
gf	-10.59	kJ/mol	KDB
hf	-38.90	kJ/mol	KDB
hfus	8.92	kJ/mol	Joback Method
hvap	37.03	kJ/mol	NIST Webbook
hvap	36.97 ± 0.10	kJ/mol	NIST Webbook
hvap	37.00 ± 0.10	kJ/mol	NIST Webbook
ie	10.50 ± 0.10	eV	NIST Webbook
ie	10.61	eV	NIST Webbook
ie	10.24 ± 0.02	eV	NIST Webbook
ie	10.41 ± 0.13	eV	NIST Webbook
ie	9.78	eV	NIST Webbook
ie	10.60	eV	NIST Webbook
ie	10.49 ± 0.02	eV	NIST Webbook
ie	10.52 ± 0.05	eV	NIST Webbook
ie	10.61	eV	NIST Webbook
log10ws	-1.17		Estimated Solubility Method
log10ws	-1.17		Aqueous Solubility Prediction Method

logp	1.734		Crippen Method
mcvol	59.950	ml/mol	McGowan Method
pc	7100.00	kPa	KDB
rinpol	733.00		NIST Webbook
rinpol	698.00		NIST Webbook
rinpol	683.00		NIST Webbook
rinpol	681.70		NIST Webbook
rinpol	690.00		NIST Webbook
rinpol	660.00		NIST Webbook
rinpol	666.00		NIST Webbook
rinpol	671.00		NIST Webbook
rinpol	672.20		NIST Webbook
rinpol	700.00		NIST Webbook
rinpol	653.00		NIST Webbook
rinpol	704.00		NIST Webbook
rinpol	696.00		NIST Webbook
rinpol	683.00		NIST Webbook
rinpol	708.00		NIST Webbook
rinpol	683.00		NIST Webbook
rinpol	700.00		NIST Webbook
ripol	1174.00		NIST Webbook
ripol	1166.00		NIST Webbook
ripol	1189.98		NIST Webbook
ripol	1175.95		NIST Webbook
ripol	1185.00		NIST Webbook
ripol	1196.47		NIST Webbook
tb	370.00	K	KDB
tc	583.00	K	KDB
tf	220.60	K	KDB
tf	220.53	K	Aqueous Solubility Prediction Method
tf	220.45 ± 0.50	K	NIST Webbook
tf	220.63 ± 0.20	K	NIST Webbook
vc	0.215	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	74.49	J/mol×K	566.60	Joback Method
cpg	66.81	J/mol×K	425.27	Joback Method
cpg	69.00	J/mol×K	460.60	Joback Method

cpg	71.00	J/mol×K	495.93	Joback Method
cpg	72.83	J/mol×K	531.27	Joback Method
cpg	61.76	J/mol×K	354.60	Joback Method
cpg	64.40	J/mol×K	389.93	Joback Method
cpl	104.10	J/mol×K	298.15	NIST Webbook
cpl	127.20	J/mol×K	298.00	NIST Webbook
cpl	105.30	J/mol×K	300.00	NIST Webbook
dvisc	0.0006192	Paxs	332.27	Joback Method
dvisc	0.0007648	Paxs	309.94	Joback Method
dvisc	0.0018193	Paxs	242.96	Joback Method
dvisc	0.0005148	Paxs	354.60	Joback Method
dvisc	0.0009762	Paxs	287.62	Joback Method
dvisc	0.0012982	Paxs	265.29	Joback Method
dvisc	0.0027298	Paxs	220.63	Joback Method
hvapt	37.80	kJ/mol	304.50	NIST Webbook
hvapt	32.92	kJ/mol	370.10	NIST Webbook
hvapt	36.50	kJ/mol	323.00	NIST Webbook
pvap	13.01	kPa	313.15	Isothermal Vapor-Liquid Equilibria of ethyl acetate + dibromomethane, or + bromochloromethane or + 1,2-dichloroethane or +1-bromo-2-chloroethane at T = 313.15 K
rfi	1.38510		298.15	Thermodynamic and Acoustic Properties of Mixtures of Dibromomethane + Heptane
rholf	2478.36	kg/m3	298.15	(Vapor + liquid) equilibria for the binary mixtures (1-propanol + dibromomethane, or + bromochloromethane, or + 1,2-dichloroethane or +1-bromo-2-chloroethane) at T = 313.15 K.

rhol	2478.61	kg/m3	298.15	Vapour liquid equilibrium at T = 308.15 K for binary systems: Dibromomethane + n-heptane, bromotrichloromethane + n-heptane, bromotrichloromethane + dibromomethane, bromotrichloromethane + bromochloromethane and dibromomethane + bromochloromethane. Experimental data and modelling
rhol	2500.00	kg/m3	293.00	KDB
speedsl	936.60	m/s	303.15	Excess Molar Volumes and Speed of Sound in Bromotrichloromethane + n-Heptane, Dibromomethane + n-Heptane, Bromotrichloromethane + Dibromomethane, and Bromotrichloromethane + Bromochloromethane at Temperatures from (293.15 to 313.15) K
speedsl	949.20	m/s	298.15	Excess Molar Volumes and Speed of Sound in Bromotrichloromethane + n-Heptane, Dibromomethane + n-Heptane, Bromotrichloromethane + Dibromomethane, and Bromotrichloromethane + Bromochloromethane at Temperatures from (293.15 to 313.15) K

speedsl	961.80	m/s	293.15	Excess Molar Volumes and Speed of Sound in Bromotrichloromethane + n-Heptane, Dibromomethane + n-Heptane, Bromotrichloromethane + Dibromomethane, and Bromotrichloromethane + Bromochloromethane at Temperatures from (293.15 to 313.15) K
speedsl	911.40	m/s	313.15	Excess Molar Volumes and Speed of Sound in Bromotrichloromethane + n-Heptane, Dibromomethane + n-Heptane, Bromotrichloromethane + Dibromomethane, and Bromotrichloromethane + Bromochloromethane at Temperatures from (293.15 to 313.15) K
speedsl	924.00	m/s	308.15	Excess Molar Volumes and Speed of Sound in Bromotrichloromethane + n-Heptane, Dibromomethane + n-Heptane, Bromotrichloromethane + Dibromomethane, and Bromotrichloromethane + Bromochloromethane at Temperatures from (293.15 to 313.15) K
srf	0.04	N/m	308.15	The additivity of surface and volumetric properties of alpha,omega-dihalogenoalkanes
srf	0.04	N/m	303.15	The additivity of surface and volumetric properties of alpha,omega-dihalogenoalkanes

srf	0.04	N/m	298.15	The additivity of surface and volumetric properties of alpha,omega-dihalogenoalkanes
srf	0.04	N/m	293.15	The additivity of surface and volumetric properties of alpha,omega-dihalogenoalkanes
srf	0.04	N/m	313.15	The additivity of surface and volumetric properties of alpha,omega-dihalogenoalkanes

## Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{\text{vap}}) = A + B/(T + C)$
Coeff. A	1.46629e+01
Coeff. B	-3.27979e+03
Coeff. C	-4.34750e+01
Temperature range (K), min.	271.63
Temperature range (K), max.	394.34

Information	Value
Property code	pvap
Equation	$\ln(P_{\text{vap}}) = A + B/T + C*\ln(T) + D*T^2$
Coeff. A	5.46965e+01
Coeff. B	-6.03095e+03
Coeff. C	-5.79321e+00
Coeff. D	3.20020e-06
Temperature range (K), min.	220.60
Temperature range (K), max.	611.00

## Sources

The Yaws Handbook of Vapor Pressure: <https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

Excess Enthalpies of Dibromomethane with Acetone, 1,4-Dioxane, Pyridine, Diethyl Ether, Ethyl Methyl Ketone, and Tetrahydrofuran at 303.15 K: <https://www.doi.org/10.1021/je900547w>

(Vapor + liquid) equilibria for the binary mixtures (1-propanol + bromochloromethane or + 1,2-dichloroethane or + C <sub>2</sub> -dichloroethane or + 1,1,1-trichloroethane at 15 °C with Benchmark Values and volumetric properties of vapor-liquid equilibrium mixtures	<a href="https://www.doi.org/10.1016/j.jct.2004.07.012">https://www.doi.org/10.1016/j.jct.2004.07.012</a>
Determination of Henry's Law Constants Using Internal Standards	<a href="http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt">http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt</a>
Determination of Henry's Law Constants Using Internal Standards	<a href="https://www.doi.org/10.1021/je3010535">https://www.doi.org/10.1021/je3010535</a>
Properties of Dibromomethane	<a href="https://www.doi.org/10.1016/j.jct.2018.12.042">https://www.doi.org/10.1016/j.jct.2018.12.042</a>
Vapor-Liquid Equilibrium Data for n-heptane, bromochloromethane + dibromomethane	<a href="https://www.doi.org/10.1016/j.fluid.2015.03.023">https://www.doi.org/10.1016/j.fluid.2015.03.023</a>
Aqueous solubility retention method	<a href="http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa">http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa</a>
n-heptane, bromochloromethane + dibromomethane	<a href="http://www.doi.org/10.1016/j.tca.2010.01.005">https://www.doi.org/10.1016/j.tca.2010.01.005</a>
EXCESS MOLAR ENTHALPIES OF DIBROMOMETHANE WITH ALKYLIC AND CYCLIC HALOALKANES	<a href="https://www.doi.org/10.1007/s10765-010-0773-1">https://www.doi.org/10.1007/s10765-010-0773-1</a>
EXCESS MOLAR ENTHALPIES OF DIBROMOMETHANE WITH ALKYLIC AND CYCLIC HALOALKANES	<a href="https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1524">https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1524</a>
EXCESS MOLAR ENTHALPIES OF DIBROMOMETHANE WITH ALKYLIC AND CYCLIC HALOALKANES	<a href="https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1524">https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1524</a>
Joback Method:	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
Joback Method:	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
Isothermal Vapor-Liquid Equilibria of ethyl acetate + dibromomethane, or + KBr	<a href="https://www.doi.org/10.1021/je034259j">https://www.doi.org/10.1021/je034259j</a>
Bromochloromethane or + 1,2-dichloroethane or + Excess Molar Volumes and Speed of Diffusion in Bromotrichloromethane + n-Propane, Dibromomethane + n-Heptane, Bromotrichloromethane + Excess Molar Enthalpies of Dibromomethane with Benzene, Dibromotrichloromethane + Bromochloromethane at Temperatures around 15 °C (one at 30.5–15 K)	<a href="https://www.cheric.org/files/research/kdb/mol/mol1524.mol">https://www.cheric.org/files/research/kdb/mol/mol1524.mol</a>
Temperature and Pressure Dependence of the Volumetric Properties of Binary Liquid Mixtures Containing Dihaloalkanes:	<a href="https://www.doi.org/10.1021/je300775u">https://www.doi.org/10.1021/je300775u</a>
	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
	<a href="https://www.doi.org/10.1021/je9005882">https://www.doi.org/10.1021/je9005882</a>
	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C74953&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C74953&amp;Units=SI</a>
	<a href="https://www.doi.org/10.1007/s10765-005-5570-x">https://www.doi.org/10.1007/s10765-005-5570-x</a>

## Legend

cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rhol:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices

<b>speedsl:</b>	Speed of sound in fluid
<b>srf:</b>	Surface Tension
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/11-649-9/Methane-dibromo.pdf>

Generated by Cheméo on 2024-04-10 17:34:41.42741651 +0000 UTC m=+15059730.347993825.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.