

4-Fluoro-2-trifluoromethylbenzamide, N-(1-naphthyl)-

Inchi: InChI=1S/C18H11F4NO/c19-12-8-9-14(15(10-12)18(20,21)22)17(24)23-16-7-3-5-11-4-1
InchiKey: VQHMZLGFEUPRLC-UHFFFAOYSA-N
Formula: C18H11F4NO
SMILES: O=C(Nc1cccc2ccccc12)c1ccc(F)cc1C(F)(F)F
Mol. weight [g/mol]: 333.28

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -412.67 | kJ/mol | Joback Method |
| hf | -637.43 | kJ/mol | Joback Method |
| hfus | 37.91 | kJ/mol | Joback Method |
| hvap | 72.46 | kJ/mol | Joback Method |
| log10ws | -6.69 | | Crippen Method |
| logp | 5.250 | | Crippen Method |
| mcvol | 216.130 | ml/mol | McGowan Method |
| pc | 2125.60 | kPa | Joback Method |
| rinpol | 2392.00 | | NIST Webbook |
| rinpol | 2392.00 | | NIST Webbook |
| tb | 796.41 | K | Joback Method |
| tc | 1023.20 | K | Joback Method |
| tf | 523.09 | K | Joback Method |
| vc | 0.852 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 612.14 | J/mol×K | 796.41 | Joback Method |
| cpg | 624.04 | J/mol×K | 834.21 | Joback Method |
| cpg | 635.00 | J/mol×K | 872.01 | Joback Method |
| cpg | 645.14 | J/mol×K | 909.81 | Joback Method |
| cpg | 654.56 | J/mol×K | 947.60 | Joback Method |
| cpg | 663.39 | J/mol×K | 985.40 | Joback Method |
| cpg | 671.75 | J/mol×K | 1023.20 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U358097&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvp: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinp: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/113-134-7/4-Fluoro-2-trifluoromethylbenzamide-N-1-naphthyl.pdf>

Generated by Cheméo on 2024-04-26 04:59:06.403153036 +0000 UTC m=+16396795.323730357.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.