

4-Fluoro-2-trifluoromethylbenzamide, N-(2-octyl)-

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C16H21F4NO/c1-3-4-5-6-7-11(2)21-15(22)13-9-8-12(17)10-14(13)16(18,19)20 |
| InchiKey: | ULKJYJLKWHKGGK-UHFFFAOYSA-N |
| Formula: | C16H21F4NO |
| SMILES: | CCCCCCC(C)NC(=O)c1ccc(F)cc1C(F)(F)F |
| Mol. weight [g/mol]: | 319.34 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------|----------------------|----------------|
| gf | -641.38 | kJ/mol | Joback Method |
| hf | -1017.56 | kJ/mol | Joback Method |
| hfus | 38.54 | kJ/mol | Joback Method |
| hvap | 63.04 | kJ/mol | Joback Method |
| log10ws | -6.29 | | Crippen Method |
| logp | 4.933 | | Crippen Method |
| mcvol | 231.170 | ml/mol | McGowan Method |
| pc | 1562.28 | kPa | Joback Method |
| rinpol | 1833.00 | | NIST Webbook |
| rinpol | 1833.00 | | NIST Webbook |
| tb | 699.57 | K | Joback Method |
| tc | 883.23 | K | Joback Method |
| tf | 413.91 | K | Joback Method |
| vc | 0.919 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 663.14 | J/mol×K | 699.57 | Joback Method |
| cpg | 678.04 | J/mol×K | 730.18 | Joback Method |
| cpg | 692.06 | J/mol×K | 760.79 | Joback Method |
| cpg | 705.25 | J/mol×K | 791.40 | Joback Method |
| cpg | 717.65 | J/mol×K | 822.01 | Joback Method |
| cpg | 729.30 | J/mol×K | 852.62 | Joback Method |
| cpg | 740.26 | J/mol×K | 883.23 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U358088&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307I |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|------------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| h vap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| r in pol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/114-779-1/4-Fluoro-2-trifluoromethylbenzamide-N-2-octyl.pdf>

Generated by Cheméo on 2024-05-02 07:57:25.593640061 +0000 UTC m=+16925894.514217376.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.