

2,3,8,9-tetrabromo-1,6-dichloro-dibenzo-p-dioxin

| | |
|-----------------------------|---|
| Other names: | Dibenzodioxin, 2,3,8,9-tetrabromo-, 1,6-dichloro |
| Inchi: | InChI=1S/C12H2Br4Cl2O2/c13-3-1-5(17)10-12(8(3)16)20-11-6(19-10)2-4(14)7(15)9(11)1 |
| InchiKey: | VAYGUHWDGRMGJP-UHFFFAOYSA-N |
| Formula: | C12H2Br4Cl2O2 |
| SMILES: | Clc1cc(Br)c(Br)c2c1Oc1cc(Br)c(Br)c(Cl)c1O2 |
| Mol. weight [g/mol]: | 568.66 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | 139.68 | kJ/mol | Joback Method |
| hf | -0.57 | kJ/mol | Joback Method |
| hfus | 56.46 | kJ/mol | Joback Method |
| hvap | 95.73 | kJ/mol | Joback Method |
| log10ws | -9.01 | | Crippen Method |
| logp | 7.941 | | Crippen Method |
| mcvol | 227.780 | ml/mol | McGowan Method |
| pc | 4409.10 | kPa | Joback Method |
| rinpol | 3222.00 | | NIST Webbook |
| rinpol | 3222.00 | | NIST Webbook |
| rinpol | 3222.00 | | NIST Webbook |
| tb | 967.70 | K | Joback Method |
| tc | 1266.25 | K | Joback Method |
| tf | 755.88 | K | Joback Method |
| vc | 0.846 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 435.76 | J/molxK | 967.70 | Joback Method |
| cpg | 442.66 | J/molxK | 1017.46 | Joback Method |
| cpg | 449.93 | J/molxK | 1067.22 | Joback Method |
| cpg | 457.76 | J/molxK | 1116.97 | Joback Method |
| cpg | 466.35 | J/molxK | 1166.73 | Joback Method |
| cpg | 475.92 | J/molxK | 1216.49 | Joback Method |

| | | | | |
|-------|-----------|---------|---------|---------------|
| cpg | 486.67 | J/molxK | 1266.25 | Joback Method |
| dvisc | 0.0005793 | Paxs | 755.88 | Joback Method |
| dvisc | 0.0004983 | Paxs | 791.18 | Joback Method |
| dvisc | 0.0004342 | Paxs | 826.49 | Joback Method |
| dvisc | 0.0003826 | Paxs | 861.79 | Joback Method |
| dvisc | 0.0003405 | Paxs | 897.09 | Joback Method |
| dvisc | 0.0003058 | Paxs | 932.40 | Joback Method |
| dvisc | 0.0002767 | Paxs | 967.70 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R171772&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/116-002-0/2-3-8-9-tetrabromo-1-6-dichloro-dibenzo-p-dioxin.pdf>

Generated by Cheméo on 2024-04-28 16:57:55.113917628 +0000 UTC m=+16612724.034494943.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.