

Benzoic acid, 2-pentafluoropropionyloxy-, tert.-butyldimethylsilyl ester

Inchi: InChI=1S/C16H19F5O4Si/c1-14(2,3)26(4,5)25-12(22)10-8-6-7-9-11(10)24-13(23)15(17,18)21
InchiKey: WKIISQGWGRLNW-UHFFFAOYSA-N
Formula: C16H19F5O4Si
SMILES: CC(C)(C)[Si](C)(C)OC(=O)c1ccccc1OC(=O)C(F)(F)C(F)(F)F
Mol. weight [g/mol]: 398.40

Physical Properties

Property code	Value	Unit	Source
log10ws	-3.57		Crippen Method
logp	4.952		Crippen Method
rinsol	1562.00		NIST Webbook
rinsol	1562.00		NIST Webbook

Sources

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>
Crippen Method: https://www.cheméo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=U375208&Units=SI>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinsol: Non-polar retention indices

Latest version available from:

<https://www.cheméo.com/cid/118-216-1/Benzoic-acid-2-pentafluoropropionyloxy-tert-butyldimethylsilyl-ester.pdf>

Generated by Cheméo on 2024-04-19 01:42:02.385665371 +0000 UTC m=+15780171.306242694.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.