

Succinic acid, butyl 4-trifluoromethylbenzyl ester

| | |
|-----------------------------|---|
| Inchi: | InChI=1S/C16H19F3O4/c1-2-3-10-22-14(20)8-9-15(21)23-11-12-4-6-13(7-5-12)16(17,18) |
| InchiKey: | HNLXZVWXOMQHCB-UHFFFAOYSA-N |
| Formula: | C16H19F3O4 |
| SMILES: | CCCCOC(=O)CCC(=O)OCc1ccc(C(F)(F)F)cc1 |
| Mol. weight [g/mol]: | 332.31 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------|---------|----------------|
| gf | -862.81 | kJ/mol | Joback Method |
| hf | -1235.19 | kJ/mol | Joback Method |
| hfus | 38.25 | kJ/mol | Joback Method |
| hvap | 68.71 | kJ/mol | Joback Method |
| log10ws | -4.53 | | Crippen Method |
| logp | 3.872 | | Crippen Method |
| mcvol | 232.730 | ml/mol | McGowan Method |
| pc | 1649.77 | kPa | Joback Method |
| rinpol | 1914.00 | | NIST Webbook |
| rinpol | 1914.00 | | NIST Webbook |
| tb | 744.30 | K | Joback Method |
| tc | 934.97 | K | Joback Method |
| tf | 457.53 | K | Joback Method |
| vc | 0.914 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 673.84 | J/molxK | 744.30 | Joback Method |
| cpg | 687.63 | J/molxK | 776.08 | Joback Method |
| cpg | 700.53 | J/molxK | 807.86 | Joback Method |
| cpg | 712.55 | J/molxK | 839.63 | Joback Method |
| cpg | 723.74 | J/molxK | 871.41 | Joback Method |
| cpg | 734.10 | J/molxK | 903.19 | Joback Method |
| cpg | 743.68 | J/molxK | 934.97 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U382441&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|------------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| h vap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| r in pol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/119-204-3/Succinic-acid-butyl-4-trifluoromethylbenzyl-ester.pdf>

Generated by Cheméo on 2024-05-01 03:51:15.52892639 +0000 UTC m=+16824724.449503702.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.