

2-TRIFLUOROMETHYL-BENZALACETONE

Other names:	3-Buten-2-one, 4-[2-(trifluoromethyl)phenyl]- o-Trifluoromethylbenzalacetone 2-Trifluoromethyl-benzalacetone
Inchi:	InChI=1S/C11H9F3O/c1-8(15)6-7-9-4-2-3-5-10(9)11(12,13)14/h2-7H,1H3/b7-6-
InchiKey:	DNMFDFHJWALWGN-SREVYHEPSA-N
Formula:	C11H9F3O
SMILES:	CC(=O)/C=C/c1ccccc1C(F)(F)F
Mol. weight [g/mol]:	214.19

Physical Properties

Property code	Value	Unit	Source
hf	-729.82	kJ/mol	Cheméo Relay (1.0)
hfus	21.53	kJ/mol	Joback Method
ie	8.96	eV	Cheméo Relay (1.0)
log10ws	-2.61		Cheméo Relay (1.0)
logp	3.308		Crippen Method
mcvol	144.670	ml/mol	McGowan Method
tb	509.56	K	Cheméo Relay (1.0)
tf	319.46	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	331.22	J/mol×K	535.35	Joback Method
cpg	344.05	J/mol×K	569.22	Joback Method
cpg	355.96	J/mol×K	603.08	Joback Method
cpg	367.00	J/mol×K	636.95	Joback Method
cpg	377.24	J/mol×K	670.81	Joback Method
cpg	386.72	J/mol×K	704.68	Joback Method
cpg	395.52	J/mol×K	738.54	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Cheméo Relay (1.0, beta):	
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?Str2File=C76293373

Legend

cpg:	Ideal gas heat capacity
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
tb:	Normal Boiling Point Temperature
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.chemeo.com/cid/119-659-9/2-TRIFLUOROMETHYL-BENZALACETONE.pdf>

Generated by Cheméo on 2026-07-21 17:52:39.29024726 +0000 UTC m=+167455.132132641.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.