

Succinic acid, isohexyl 2,3,5-trichlorophenyl ester

| | |
|----------------------|--|
| Inchi: | InChI=1S/C16H19Cl3O4/c1-10(2)4-3-7-22-14(20)5-6-15(21)23-13-9-11(17)8-12(18)16(19) |
| InchiKey: | QBLWHUHQTUEOND-UHFFFAOYSA-N |
| Formula: | C16H19Cl3O4 |
| SMILES: | CC(C)CCCOC(=O)CCC(=O)Oc1cc(Cl)cc(Cl)c1Cl |
| Mol. weight [g/mol]: | 381.68 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -338.71 | kJ/mol | Joback Method |
| hf | -713.55 | kJ/mol | Joback Method |
| hfus | 44.71 | kJ/mol | Joback Method |
| hvap | 86.55 | kJ/mol | Joback Method |
| log10ws | -5.81 | | Crippen Method |
| logp | 5.312 | | Crippen Method |
| mcvol | 264.140 | ml/mol | McGowan Method |
| pc | 1627.22 | kPa | Joback Method |
| rinpol | 2474.00 | | NIST Webbook |
| rinpol | 2474.00 | | NIST Webbook |
| tb | 871.53 | K | Joback Method |
| tc | 1089.08 | K | Joback Method |
| tf | 553.14 | K | Joback Method |
| vc | 1.012 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 720.95 | J/molxK | 871.53 | Joback Method |
| cpg | 732.62 | J/molxK | 907.79 | Joback Method |
| cpg | 743.22 | J/molxK | 944.05 | Joback Method |
| cpg | 752.77 | J/molxK | 980.31 | Joback Method |
| cpg | 761.28 | J/molxK | 1016.56 | Joback Method |
| cpg | 768.76 | J/molxK | 1052.82 | Joback Method |
| cpg | 775.20 | J/molxK | 1089.08 | Joback Method |
| dvisc | 0.0004193 | Paxs | 553.14 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0002614 | Paxs | 606.20 | Joback Method |
| dvisc | 0.0001759 | Paxs | 659.27 | Joback Method |
| dvisc | 0.0001255 | Paxs | 712.34 | Joback Method |
| dvisc | 0.0000939 | Paxs | 765.40 | Joback Method |
| dvisc | 0.0000729 | Paxs | 818.46 | Joback Method |
| dvisc | 0.0000584 | Paxs | 871.53 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U349610&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/119-909-1/Succinic-acid-isoheptyl-2-3-5-trichlorophenyl-ester.pdf>

Generated by Cheméo on 2024-04-23 08:24:08.433047624 +0000 UTC m=+16149897.353624991.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.