

N-Acetyl-D-glucosamine, tetrakis(trifluoroacetate), methyloxime (anti)

Inchi:	InChI=1S/C17H14F12N2O10/c1-5(32)31-6(3-30-37-2)8(40-12(35)16(24,25)26)9(41-13(3
InchiKey:	JPSFBHXVCJIGTG-UHFFFAOYSA-N
Formula:	C17H14F12N2O10
SMILES:	CON=CC(NC(C)=O)C(OC(=O)C(F)(F)F)C(OC(=O)C(F)(F)F)C(COC(=O)C(F)(F)F)OC(=O
Mol. weight [g/mol]:	634.28

Physical Properties

Property code	Value	Unit	Source
hf	-3891.96	kJ/mol	Joback Method
hvap	92.43	kJ/mol	Joback Method
log10ws	-3.69		Crippen Method
logp	1.651		Crippen Method
mcvol	324.490	ml/mol	McGowan Method
pc	1011.66	kPa	Joback Method
rinpol	1446.80		NIST Webbook
rinpol	1446.80		NIST Webbook
tb	1073.22	K	Joback Method
tc	1342.61	K	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U380244&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

hf:	Enthalpy of formation at standard conditions
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/119-972-1/N-Acetyl-D-glucosamine-tetrakis-trifluoroacetate-methyloxime-anti.pdf>

Generated by Cheméo on 2024-04-30 05:55:53.24965476 +0000 UTC m=+16745802.170232072.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.