

1,1'-Biphenyl, 2,3-dichloro-

Other names:	Biphenyl, 2,3-dichloro- 2,3-Dichloro-1,1'-biphenyl 2,3-Dichlorobiphenyl PCB 5
Inchi:	InChI=1S/C12H8Cl2/c13-11-8-4-7-10(12(11)14)9-5-2-1-3-6-9/h1-8H
InchiKey:	XOMKZKJEJBZBJJ-UHFFFAOYSA-N
Formula:	C12H8Cl2
SMILES:	Clc1cccc(-c2ccccc2)c1Cl
Mol. weight [g/mol]:	223.10
CAS:	16605-91-7

Physical Properties

Property code	Value	Unit	Source
gf	231.86	kJ/mol	Joback Method
hf	127.63	kJ/mol	Joback Method
hfus	22.53	kJ/mol	Joback Method
hvap	56.95	kJ/mol	Joback Method
log10ws	-5.44		Crippen Method
logp	4.660		Crippen Method
mcvol	156.900	ml/mol	McGowan Method
pc	3045.68	kPa	Joback Method
rinpol	1665.00		NIST Webbook
rinpol	1654.00		NIST Webbook
rinpol	1656.00		NIST Webbook
rinpol	1730.00		NIST Webbook
rinpol	1657.00		NIST Webbook
rinpol	1666.00		NIST Webbook
rinpol	1685.30		NIST Webbook
rinpol	1694.80		NIST Webbook
rinpol	1704.90		NIST Webbook
rinpol	1730.00		NIST Webbook
rinpol	1731.00		NIST Webbook
rinpol	1731.00		NIST Webbook
rinpol	1695.00		NIST Webbook
tb	612.14	K	Joback Method
tc	871.88	K	Joback Method
tf	362.72	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	328.07	J/molxK	612.14	Joback Method
cpg	341.24	J/molxK	655.43	Joback Method
cpg	353.28	J/molxK	698.72	Joback Method
cpg	364.26	J/molxK	742.01	Joback Method
cpg	374.26	J/molxK	785.30	Joback Method
cpg	383.35	J/molxK	828.59	Joback Method
cpg	391.60	J/molxK	871.88	Joback Method
dvisc	0.0013975	Paxs	362.72	Joback Method
dvisc	0.0008516	Paxs	404.29	Joback Method
dvisc	0.0005691	Paxs	445.86	Joback Method
dvisc	0.0004074	Paxs	487.43	Joback Method
dvisc	0.0003074	Paxs	529.00	Joback Method
dvisc	0.0002417	Paxs	570.57	Joback Method
dvisc	0.0001963	Paxs	612.14	Joback Method

Sources

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C16605917&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log10 of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/12-555-2/1-1-Biphenyl-2-3-dichloro.pdf>

Generated by Cheméo on 2024-04-17 02:24:31.747183887 +0000 UTC m=+15609920.667761208.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.