

Nonadecanoic acid-glycerine-(1)-monoester, bis-O-trimethylsilyl-

Other names: Nonadecanoic acid, 2,3-bis-(OTMS) propyl ester («alpha»-glyceryl nonadecanoate)
Inchi: InChI=1S/C28H60O4Si2/c1-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-28(29)3
InchiKey: INTFZPSBLUNHND-UHFFFAOYSA-N
Formula: C28H60O4Si2
SMILES: CCCCCCCCCCCCCCCCCC(=O)OCC(CO[Si](C)(C)C)O[Si](C)(C)C
Mol. weight [g/mol]: 516.94

Physical Properties

Property code	Value	Unit	Source
log10ws	-4.79		Crippen Method
logp	9.253		Crippen Method
rinpola	2905.00		NIST Webbook
rinpola	2902.00		NIST Webbook
rinpola	2905.00		NIST Webbook

Sources

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>
Crippen Method: https://www.cheméo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=U153824&Units=SI>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpola: Non-polar retention indices

Latest version available from:

<https://www.cheméo.com/cid/120-113-2/Nonadecanoic-acid-glycerine-1-monoester-bis-O-trimethylsilyl.pdf>

Generated by Cheméo on 2024-04-28 11:54:33.860570817 +0000 UTC m=+16594522.781148128.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.