

3'-Hydroxypentobarbitone

Other names:	Barbituric acid, 5-ethyl-5-(3-hydroxy-1-methylbutyl)- Hydroxypentobarbital Hydroxypentobarbitone 3'-Hydroxypentobarbitone 3'-Hydroxypentobarbital
Inchi:	InChI=1S/C11H18N2O4/c1-4-11(6(2)5-7(3)14)8(15)12-10(17)13-9(11)16/h6-7,14H,4-5H2
InchiKey:	XYOPMDJVSQZTM-UHFFFAOYSA-N
Formula:	C11H18N2O4
SMILES:	CCC1(C(C)CC(C)O)C(=O)NC(=O)NC1=O
Mol. weight [g/mol]:	242.28

Physical Properties

Property code	Value	Unit	Source
hfus	24.54	kJ/mol	Joback Method
log10ws	-1.22		Cheméo Relay (1.0)
logp	0.156		Crippen Method
mcvol	185.530	ml/mol	McGowan Method
rinpol	1915.00		NIST Webbook
rinpol	1915.00		NIST Webbook
tf	443.05	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	608.57	J/mol×K	862.73	Joback Method
cpg	624.14	J/mol×K	902.26	Joback Method
cpg	638.81	J/mol×K	941.79	Joback Method
cpg	652.60	J/mol×K	981.32	Joback Method
cpg	665.51	J/mol×K	1020.84	Joback Method
cpg	677.56	J/mol×K	1060.37	Joback Method
cpg	688.76	J/mol×K	1099.90	Joback Method

Sources

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C4241401&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
hfus:	Enthalpy of fusion at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
rinpola:	Non-polar retention indices
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.chemeo.com/cid/120-423-8/3-Hydroxypentobarbitone.pdf>

Generated by Cheméo on 2026-07-22 03:00:42.085719417 +0000 UTC m=+200337.927604935.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.