

# Succinic acid, di(4-bromobenzyl) ester

<b>Inchi:</b>	InChI=1S/C18H16Br2O4/c19-15-5-1-13(2-6-15)11-23-17(21)9-10-18(22)24-12-14-3-7-16
<b>InchiKey:</b>	ACSWCQALPUBLIC-UHFFFAOYSA-N
<b>Formula:</b>	C18H16Br2O4
<b>SMILES:</b>	O=C(CCC(=O)OCc1ccc(Br)cc1)OCc1ccc(Br)cc1
<b>Mol. weight [g/mol]:</b>	456.12

## Physical Properties

Property code	Value	Unit	Source
gf	-132.96	kJ/mol	Joback Method
hf	-401.67	kJ/mol	Joback Method
hfus	45.82	kJ/mol	Joback Method
hvap	92.72	kJ/mol	Joback Method
log10ws	-6.60		Crippen Method
logp	4.778		Crippen Method
mvol	266.840	ml/mol	McGowan Method
pc	2302.53	kPa	Joback Method
rinpol	2975.00		NIST Webbook
rinpol	2975.00		NIST Webbook
tb	959.46	K	Joback Method
tc	1206.97	K	Joback Method
tf	634.42	K	Joback Method
vc	1.000	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	728.10	J/molxK	959.46	Joback Method
cpg	738.18	J/molxK	1000.71	Joback Method
cpg	747.13	J/molxK	1041.96	Joback Method
cpg	755.01	J/molxK	1083.22	Joback Method
cpg	761.88	J/molxK	1124.47	Joback Method
cpg	767.80	J/molxK	1165.72	Joback Method
cpg	772.83	J/molxK	1206.97	Joback Method
dvisc	0.0002671	Paxs	634.42	Joback Method

dvisc	0.0001779	Paxs	688.59	Joback Method
dvisc	0.0001258	Paxs	742.77	Joback Method
dvisc	0.0000932	Paxs	796.94	Joback Method
dvisc	0.0000717	Paxs	851.11	Joback Method
dvisc	0.0000570	Paxs	905.29	Joback Method
dvisc	0.0000465	Paxs	959.46	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U382431&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U382431&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/120-467-0/Succinic-acid-di-4-bromobenzyl-ester.pdf>

Generated by Cheméo on 2024-05-01 10:46:42.799148617 +0000 UTC m=+16849651.719725930.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.