

# Succinic acid, 2-chloro-6-fluorophenyl neopentyl ester

<b>Inchi:</b>	InChI=1S/C15H18ClFO4/c1-15(2,3)9-20-12(18)7-8-13(19)21-14-10(16)5-4-6-11(14)17/h
<b>InchiKey:</b>	PCPQVDYGXXMFKL-UHFFFAOYSA-N
<b>Formula:</b>	C15H18ClFO4
<b>SMILES:</b>	CC(C)(C)COC(=O)CCC(=O)Oc1c(F)cccc1Cl
<b>Mol. weight [g/mol]:</b>	316.75

## Physical Properties

Property code	Value	Unit	Source
gf	-503.17	kJ/mol	Joback Method
hf	-849.54	kJ/mol	Joback Method
hfus	33.31	kJ/mol	Joback Method
hvap	73.17	kJ/mol	Joback Method
log10ws	-4.35		Crippen Method
logp	3.754		Crippen Method
mvol	227.340	ml/mol	McGowan Method
pc	1845.16	kPa	Joback Method
rinpol	1966.00		NIST Webbook
rinpol	1966.00		NIST Webbook
tb	765.29	K	Joback Method
tc	974.78	K	Joback Method
tf	487.52	K	Joback Method
vc	0.872	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	628.81	J/mol×K	765.29	Joback Method
cpg	642.10	J/mol×K	800.21	Joback Method
cpg	654.42	J/mol×K	835.12	Joback Method
cpg	665.81	J/mol×K	870.04	Joback Method
cpg	676.30	J/mol×K	904.95	Joback Method
cpg	685.89	J/mol×K	939.87	Joback Method
cpg	694.64	J/mol×K	974.78	Joback Method

# Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U389585&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U389585&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307I">http://pubs.acs.org/doi/abs/10.1021/ci990307I</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

# Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>h vap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>r in pol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/121-187-0/Succinic-acid-2-chloro-6-fluorophenyl-neopentyl-ester.pdf>

Generated by Cheméo on 2024-04-27 23:40:46.775549538 +0000 UTC m=+16550495.696126853.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.