

Silicon

| | |
|----------------------|-----------------------------|
| Inchi: | InChI=1S/Si |
| InchiKey: | XUIMIQQOPSSXEZ-UHFFFAOYSA-N |
| Formula: | Si |
| SMILES: | [Si] |
| Mol. weight [g/mol]: | 28.09 |
| CAS: | 7440-21-3 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------------|---------|--------------|
| affp | 837.00 | kJ/mol | NIST Webbook |
| basg | 814.10 | kJ/mol | NIST Webbook |
| ea | 1.39 ± 0.00 | eV | NIST Webbook |
| ea | 1.39 ± 0.00 | eV | NIST Webbook |
| ea | 1.39 ± 0.01 | eV | NIST Webbook |
| ea | 1.39 | eV | NIST Webbook |
| hf | 450.00 ± 8.00 | kJ/mol | NIST Webbook |
| ie | 8.20 ± 0.50 | eV | NIST Webbook |
| ie | 8.15 | eV | NIST Webbook |
| ie | 8.15 | eV | NIST Webbook |
| ie | 8.15 ± 0.00 | eV | NIST Webbook |
| ie | 8.10 ± 0.50 | eV | NIST Webbook |
| ie | 8.50 ± 0.50 | eV | NIST Webbook |
| ie | 8.15 | eV | NIST Webbook |
| ie | 8.15 | eV | NIST Webbook |
| sbg | 167.98 ± 0.00 | J/mol×K | NIST Webbook |
| ss | 18.81 ± 0.08 | J/mol×K | NIST Webbook |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-------|------|-----------------|--------|
|---------------|-------|------|-----------------|--------|

| | | | | |
|---------|---------|-----|---------|---|
| speedsl | 3916.10 | m/s | 1723.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 3929.00 | m/s | 1748.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 3945.90 | m/s | 1755.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 3973.30 | m/s | 1789.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 3969.00 | m/s | 1795.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 3976.30 | m/s | 1823.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 4003.00 | m/s | 1852.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |
| speedsl | 4020.00 | m/s | 1889.00 | Temperature Dependence of the Velocity of Sound in Liquid Metals of Group XIV |

Correlations

| Information | Value |
|---------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.80476e+01 |

| | |
|-----------------------------|--------------|
| Coeff. B | -4.74659e+04 |
| Coeff. C | -5.98000e+00 |
| Temperature range (K), min. | 1908.00 |
| Temperature range (K), max. | 3538.00 |

Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C7440213&Units=SI>

The Yaws Handbook of Vapor Pressure:

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

Temperature Dependence of the Velocity of Sound in Liquid Metals of Group IV: Capacity and entropy of the lithium silicides Li₁₇Si₄ and Li_{16.42}Si₄ from the temperature range from (2 to 873) K:

<https://www.doi.org/10.1007/s10765-007-0151-9>

<https://www.doi.org/10.1016/j.jct.2015.01.004>

<https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1965>

Legend

| | |
|-----------------|--|
| affp: | Proton affinity |
| basg: | Gas basicity |
| ea: | Electron affinity |
| hf: | Enthalpy of formation at standard conditions |
| ie: | Ionization energy |
| pvap: | Vapor pressure |
| sgb: | Molar entropy at standard conditions (1 bar) |
| speedsl: | Speed of sound in fluid |
| ss: | Solid phase molar entropy at standard conditions |

Latest version available from:

<https://www.chemeo.com/cid/13-062-8/silicon.pdf>

Generated by Cheméo on 2024-03-13 07:50:38.176739537 +0000 UTC m=+12605487.097316852.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.