

# 1,1'-Biphenyl, 2,4,6-trichloro-

|                             |  |
|-----------------------------|--|
| <b>Other names:</b>         | 2,4,6-Trichloro-1,1'-biphenyl<br>2,4,6-Trichlorobiphenyl<br>PCB 30 |
| <b>Inchi:</b>               | InChI=1S/C12H7Cl3/c13-9-6-10(14)12(11(15)7-9)8-4-2-1-3-5-8/h1-7H   |
| <b>InchiKey:</b>            | MTLMVEWEYZFYTH-UHFFFAOYSA-N  |
| <b>Formula:</b>             | C12H7Cl3   |
| <b>SMILES:</b>              | Clc1cc(Cl)c(-c2ccccc2)c(Cl)c1                                      |
| <b>Mol. weight [g/mol]:</b> | 257.54   |
| <b>CAS:</b>                 | 35693-92-6   |

## Physical Properties

| Property code | Value         | Unit    | Source                               |
|---------------|---------------|---------|--------------------------------------|
| gf            | 210.30        | kJ/mol  | Joback Method                        |
| hf            | 100.42        | kJ/mol  | Joback Method                        |
| hfus          | 26.34         | kJ/mol  | Joback Method                        |
| hvap          | 62.00         | kJ/mol  | Joback Method                        |
| log10ws       | -6.12         |         | Aqueous Solubility Prediction Method |
| logp          | 5.314         |         | Crippen Method                       |
| mcvol         | 169.140       | ml/mol  | McGowan Method                       |
| pc            | 2878.12       | kPa     | Joback Method                        |
| rinpol        | 1737.00       |         | NIST Webbook                         |
| tb            | 654.55        | K       | Joback Method                        |
| tc            | 917.95        | K       | Joback Method                        |
| tf            | 334.30 ± 0.20 | K       | NIST Webbook                         |
| vc            | 0.638         | m3/kmol | Joback Method                        |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 390.14 | J/molxK | 830.15          | Joback Method |
| cpg           | 405.36 | J/molxK | 917.95          | Joback Method |
| cpg           | 398.13 | J/molxK | 874.05          | Joback Method |
| cpg           | 349.20 | J/molxK | 654.55          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 360.92    | J/molxK | 698.45 | Joback Method |
| cpg   | 371.61    | J/molxK | 742.35 | Joback Method |
| cpg   | 381.33    | J/molxK | 786.25 | Joback Method |
| dvisc | 0.0001852 | Paxs    | 654.55 | Joback Method |
| dvisc | 0.0002805 | Paxs    | 571.42 | Joback Method |
| dvisc | 0.0002248 | Paxs    | 612.99 | Joback Method |
| dvisc | 0.0010725 | Paxs    | 405.16 | Joback Method |
| dvisc | 0.0006985 | Paxs    | 446.73 | Joback Method |
| dvisc | 0.0004893 | Paxs    | 488.29 | Joback Method |
| dvisc | 0.0003625 | Paxs    | 529.86 | Joback Method |
| hfust | 16.50     | kJ/mol  | 334.30 | NIST Webbook  |
| hfust | 16.50     | kJ/mol  | 334.30 | NIST Webbook  |
| hvapt | 74.40     | kJ/mol  | 368.00 | NIST Webbook  |

## Sources

**Joback Method:** [https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

**Aqueous Solubility Prediction Method:** <http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa>

**McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>

**NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=C35693926&Units=SI>

**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci990307I>

## Legend

|                 |   |
|-----------------|---|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hfust:</b>   | Enthalpy of fusion at a given temperature       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>hvapt:</b>   | Enthalpy of vaporization at a given temperature |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |

**tc:** Critical Temperature  
**tf:** Normal melting (fusion) point  
**vc:** Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/14-368-8/1-1-Biphenyl-2-4-6-trichloro.pdf>

Generated by Cheméo on 2024-04-17 01:31:30.163293228 +0000 UTC m=+15606739.083870536.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.