

2,3-Hexanedione

Other names:	2,3-Hexandione 2,3-Hexanodione Acetylbutyryl Methyl propyl diketone hexane-2,3-dione
Inchi:	InChI=1S/C6H10O2/c1-3-4-6(8)5(2)7/h3-4H2,1-2H3
InchiKey:	MWVFCEVNXHTDNF-UHFFFAOYSA-N
Formula:	C6H10O2
SMILES:	CCCC(=O)C(C)=O
Mol. weight [g/mol]:	114.14
CAS:	3848-24-6

Physical Properties

Property code	Value	Unit	Source
gf	-258.20	kJ/mol	Joback Method
hf	-392.33	kJ/mol	Joback Method
hfus	14.49	kJ/mol	Joback Method
hvap	42.44	kJ/mol	Joback Method
log10ws	-0.89		Crippen Method
logp	0.945		Crippen Method
mcvol	98.540	ml/mol	McGowan Method
pc	3594.25	kPa	Joback Method
rinpol	733.00		NIST Webbook
rinpol	764.00		NIST Webbook
rinpol	781.00		NIST Webbook
rinpol	788.00		NIST Webbook
rinpol	757.70		NIST Webbook
rinpol	755.00		NIST Webbook
rinpol	786.00		NIST Webbook
rinpol	796.00		NIST Webbook
rinpol	792.00		NIST Webbook
rinpol	764.00		NIST Webbook
rinpol	786.00		NIST Webbook
rinpol	757.70		NIST Webbook
ripol	1143.00		NIST Webbook
ripol	1136.00		NIST Webbook
ripol	1147.00		NIST Webbook

ripol	1133.00		NIST Webbook
ripol	1138.00		NIST Webbook
ripol	1138.00		NIST Webbook
ripol	1136.00		NIST Webbook
ripol	1138.00		NIST Webbook
ripol	1127.00		NIST Webbook
ripol	1136.00		NIST Webbook
tb	401.20	K	NIST Webbook
tc	634.10	K	Joback Method
tf	257.24	K	Joback Method
vc	0.384	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	193.61	J/molxK	444.42	Joback Method
cpg	203.11	J/molxK	476.03	Joback Method
cpg	212.20	J/molxK	507.65	Joback Method
cpg	220.89	J/molxK	539.26	Joback Method
cpg	229.18	J/molxK	570.87	Joback Method
cpg	237.09	J/molxK	602.49	Joback Method
cpg	244.62	J/molxK	634.10	Joback Method
dvisc	0.0034020	Paxs	257.24	Joback Method
dvisc	0.0019141	Paxs	288.44	Joback Method
dvisc	0.0012049	Paxs	319.63	Joback Method
dvisc	0.0008236	Paxs	350.83	Joback Method
dvisc	0.0005990	Paxs	382.03	Joback Method
dvisc	0.0004571	Paxs	413.22	Joback Method
dvisc	0.0003624	Paxs	444.42	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.48920e+01
Coeff. B	-3.58097e+03
Coeff. C	-5.26420e+01

Temperature range (K), min.	297.84
Temperature range (K), max.	426.42

Sources

The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3848246&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpola:	Non-polar retention indices
ripola:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/16-397-4/2-3-Hexanedione.pdf>

Generated by Cheméo on 2024-04-23 14:45:57.898149199 +0000 UTC m=+16172806.818726514.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.