

«DELTA»8-Tetrahydrocannabinol

Other names:	6H-Dibenzo[b,d]pyran-1-ol, 6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-, (6aR,trans)- 6H-Dibenzo[b,d]pyran-1-ol, 6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-, trans-(-) «DELTA»6-THC «DELTA»1(6)-trans-Tetrahydrocannabinol «DELTA»1(6)-Tetrahydrocannabinol «DELTA»6-Tetrahydrocannabinol «DELTA»8-trans-Tetrahydrocannabinol (-)-«DELTA»6-Tetrahydrocannabinol (-)-«DELTA»8-trans-Tetrahydrocannabinol (-)-«DELTA»8-Tetrahydrocannabinol Cannabinol, «DELTA»1(6)-tetrahydro- «DELTA»8-THC Cannabinol, 1-trans-«DELTA»8-tetrahydro- 1-trans-«DELTA»8-Tetrahydrocannabinol 6H-Dibenzo(b,d)pyran-1-ol, 6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-, (6aR,10aR)- (-)-«DELTA»6-3,4-trans-Tetrahydrocannabinol (-)-trans-«DELTA»8-Tetrahydrocannabinol «DELTA»8-l-Tetrahydrocannabinol trans-«DELTA»8-Tetrahydrocannabinol l-«DELTA»8-Tetrahydrocannabinol 8-Tetrahydrocannabinol NSC 134453 «delta»-(sup6)-THC «delta»-(sup8)-THC (-)-«delta»-(sup8)-trans-Tetrahydrocannabinol Cannabinol, 1-trans-«delta»-(sup8)-tetrahydro- 1-trans-«delta»-(sup8)-Tetrahydrocannabinol 6H-Dibenzo(b,d)pyran-1-ol, 6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl- 6,6,9-Trimethyl-3-pentyl-6a,7,10,10a-tetrahydro-6H-benzo[c]chromen-1-ol
Inchi:	InChI=1S/C21H30O2/c1-5-6-7-8-15-12-18(22)20-16-11-14(2)9-10-17(16)21(3,4)23-19(20)
InchiKey:	HCAWPGARWVBULJ-UHFFFAOYSA-N
Formula:	C21H30O2
SMILES:	CCCCCc1cc(O)c2c(c1)OC(C)(C)C1CC=C(C)CC21
Mol. weight [g/mol]:	314.46
CAS:	5957-75-5

Physical Properties

Property code	Value	Unit	Source
gf	82.78	kJ/mol	Joback Method
hf	-398.00	kJ/mol	Joback Method
hfus	44.85	kJ/mol	Joback Method
hvap	83.13	kJ/mol	Joback Method
log10ws	-6.41		Crippen Method
logp	5.736		Crippen Method
mcvol	268.710	ml/mol	McGowan Method
pc	1665.97	kPa	Joback Method
rinpol	2520.70		NIST Webbook
tb	845.82	K	Joback Method
tc	1074.44	K	Joback Method
tf	577.96	K	Joback Method
vc	0.972	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	878.15	J/mol×K	845.82	Joback Method
cpg	899.14	J/mol×K	883.92	Joback Method
cpg	919.92	J/mol×K	922.03	Joback Method
cpg	940.71	J/mol×K	960.13	Joback Method
cpg	961.77	J/mol×K	998.23	Joback Method
cpg	983.32	J/mol×K	1036.33	Joback Method
cpg	1005.62	J/mol×K	1074.44	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C5957755&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/16-447-8/DELTA-8-Tetrahydrocannabinol.pdf>

Generated by Cheméo on 2024-04-02 22:29:48.454470013 +0000 UTC m=+14386237.375047328.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.