

1,2-Butanediol, 3,3-dimethyl-

| | |
|-----------------------------|--|
| Other names: | 3,3-Dimethyl-1,2-butanediol 3,3-dimethylbutane-1,2-diol |
| Inchi: | InChI=1S/C6H14O2/c1-6(2,3)5(8)4-7/h5,7-8H,4H2,1-3H3 |
| InchiKey: | YVHAOWGRHCPODY-UHFFFAOYSA-N |
| Formula: | C6H14O2 |
| SMILES: | CC(C)(C)C(O)CO |
| Mol. weight [g/mol]: | 118.17 |
| CAS: | 59562-82-2 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------------|---------|----------------|
| gf | -273.60 | kJ/mol | Joback Method |
| hf | -485.66 | kJ/mol | Joback Method |
| hfus | 8.53 | kJ/mol | Joback Method |
| hvap | 60.62 | kJ/mol | Joback Method |
| log10ws | -0.73 | | Crippen Method |
| logp | 0.386 | | Crippen Method |
| mvol | 107.140 | ml/mol | McGowan Method |
| pc | 3990.60 | kPa | Joback Method |
| ripol | 1843.00 | | NIST Webbook |
| tb | 478.65 ± 5.00 | K | NIST Webbook |
| tc | 685.89 | K | Joback Method |
| tf | 266.44 | K | Joback Method |
| vc | 0.393 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 258.90 | J/molxK | 517.37 | Joback Method |
| cpg | 300.78 | J/molxK | 657.80 | Joback Method |
| cpg | 293.24 | J/molxK | 629.72 | Joback Method |
| cpg | 285.31 | J/molxK | 601.63 | Joback Method |
| cpg | 276.95 | J/molxK | 573.54 | Joback Method |
| cpg | 268.16 | J/molxK | 545.46 | Joback Method |

| | | | | |
|-------|-----------|---------|--------|---------------|
| cpg | 307.94 | J/mol×K | 685.89 | Joback Method |
| dvisc | 0.0000728 | Paxs | 517.37 | Joback Method |
| dvisc | 0.0001588 | Paxs | 475.55 | Joback Method |
| dvisc | 0.0004031 | Paxs | 433.73 | Joback Method |
| dvisc | 0.0012479 | Paxs | 391.90 | Joback Method |
| dvisc | 0.0050606 | Paxs | 350.08 | Joback Method |
| dvisc | 0.0300065 | Paxs | 308.26 | Joback Method |
| dvisc | 0.3110979 | Paxs | 266.44 | Joback Method |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.63963e+01 |
| Coeff. B | -4.76343e+03 |
| Coeff. C | -7.42150e+01 |
| Temperature range (K), min. | 369.92 |
| Temperature range (K), max. | 503.94 |

Sources

| | |
|---|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C59562822&Units=SI |
| The Yaws Handbook of Vapor Pressure: | https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|---------------|--|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |

| | |
|-----------------|---|
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| pvap: | Vapor pressure |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/18-217-1/1-2-Butanediol-3-3-dimethyl.pdf>

Generated by Cheméo on 2024-04-25 06:23:21.554107264 +0000 UTC m=+16315450.474684580.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.