

# 1-Hexanamine, N-isopropylidene

<b>Inchi:</b>	InChI=1S/C9H19N/c1-4-5-6-7-8-10-9(2)3/h4-8H2,1-3H3
<b>InchiKey:</b>	YWYDFGOUTQBXFF-UHFFFAOYSA-N
<b>Formula:</b>	C9H19N
<b>SMILES:</b>	CCCCCN=C(C)C
<b>Mol. weight [g/mol]:</b>	141.25

## Physical Properties

Property code	Value	Unit	Source
hf	-156.66	kJ/mol	Joback Method
hvap	39.02	kJ/mol	Joback Method
log10ws	-2.75		Crippen Method
logp	3.048		Crippen Method
mcvol	143.350	ml/mol	McGowan Method
pc	2100.34	kPa	Joback Method
rinsol	1046.00		NIST Webbook
rinsol	1046.00		NIST Webbook
tb	481.88	K	Joback Method
tc	667.76	K	Joback Method

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R64998&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R64998&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

## Legend

<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions

<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/18-543-9/1-Hexanamine-N-isopropylidene.pdf>

Generated by Cheméo on 2024-04-28 11:16:47.414142214 +0000 UTC m=+16592256.334719526.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.